Ultramicroscopy 42–44 (1992) 1685–1701
North-Holland

ultramicroscopy

Author index to volumes 42–44

Achten, F., see Van Hulst 42–44 (1992) 416
Adam, P., see De Fornel 42–44 (1992) 422
Adamchuk, V.K., A.V. Ermakov and S.I. Fedoseenko, Scanning tunneling microscope with large scan range 42–44 (1992) 1602
Adrian, M., see Zenhausern 42–44 (1992) 1168
Agraït, N., J.G. Rodrigo and S. Vieira, On the transition from tunneling regime to point-contact: graphite 42–44 (1992) 177
Aguilar, M., M. Pancorbo, F. Vázquez, F. Gómez, E. Anguiano, J.M. Gonzáles, M. Vázquez and F. Cebollada, Study of the surface roughness of Co-based amorphous alloys by STM 42–44 (1992) 1329
Aguilar, M., see Diaspro 42–44 (1992) 1668
Ajustron, F., see Coratger 42–44 (1992) 653
Akamine, S., see Yamada 42–44 (1992) 1044
Albrecht, T.R., P. Grütter, D. Rugar and D.P.E. Smith, Low-temperature force microscope with all-fiber interferometer 42–44 (1992) 1638
Alduino, A., see Keller 42–44 (1992) 1481
Allegrini, M., C. Ascoli, P. Baschieri, F. Dinelli, C. Frediani, A. Lio and T. Mariani, Laser thermal effects on atomic force microscope cantilevers 42–44 (1992) 371
Allen, M.J., M. Balooch, S. Subbiah, R.J. Tench, R. Balhorn and W.J. Siekhaus, Analysis of adenine and thymine adsorbed on graphite by scanning tunneling and atomic force microscopy 42–44 (1992) 1049
Allen, M.J., N.V. Hud, M. Balooch, R.J. Tench, W.J. Siekhaus and R. Balhorn, Tip-radius-induced artifacts in AFM images of protamine-complexed DNA fibers 42–44 (1992) 1095
Allen, R.E., see Huang 42–44 (1992) 97
Allen, R.E., see Gryko 42–44 (1992) 793
Allison, D.P., see Thundat 42–44 (1992) 1083
Allison, D.P., R.J. Warmack, L.A. Bottomley, T. Thundat, G.M. Brown, R.P. Woychik, J.J. Schrick, K.B. Jacobson and T.L. Ferrell, Scanning tunneling microscopy of DNA: a novel technique using radiolabeled DNA to evaluate chemically mediated attachment of DNA to surfaces 42–44 (1992) 1088
Allison, D.P., see Thundat 42–44 (1992) 1101
Angert, N., see Kemmer 42–44 (1992) 1345
Anguiano, E., see Aguilar 42–44 (1992) 1329
Antognazza, L., see Maggio-Aprile 42–44 (1992) 728
Aono, M., see Watanabe 42–44 (1992) 105
Apell, H.-J., see Linder 42–44 (1992) 329
Apell, H.-J., J. Colchero, A. Linder, O. Marti and J. Mlynek, Na,K-ATPase in crystalline form investigated by scanning force microscopy 42–44 (1992) 1133
Aronsson, B.-O., see Olin 42–44 (1992) 567
Ascoli, C., see Allegrini 42–44 (1992) 371
Asenjo, A., J.M. Gómez-Rodríguez and A.M. Baró, Current imaging tunneling spectroscopy of metallic deposits on silicon 42–44 (1992) 933
Asenjo, A., see Gómez-Rodríguez 42–44 (1992) 1321
Atamny, F., R. Schlögl, W.J. Wirth and J. Stephan, Topochemistry of graphite oxidation 42–44 (1992) 660
Atkins, E.D.T., see Lee 42–44 (1992) 1107
Atlan, D., G. Gardet, Vu Thien Binh, N. García and J.J. Sáenz, 3D calculations at atomic scale of the electrostatic potential and field created by a teton tip 42–44 (1992) 154
Avouris, Ph. and D. Cahill, STM studies of Si(100)-2 × 1 oxidation: defect chemistry and Si ejection 42–44 (1992) 838

Badt, D., see Kliese 42–44 (1992) 824
Bai, C., C. Zhu, G. Huang, J. Yang, M. Wan and R.-S. Chen, Scanning tunneling microscopic imaging of doped polyaniline 42–44 (1992) 1079
Bai, C.L., see Tian 42–44 (1992) 460
Balhorn, R., see Allen 42–44 (1992) 1049
Balhorn, R., see Allen 42–44 (1992) 1095
Balooch, M., see Tench 42–44 (1992) 668
Balooch, M., see Allen 42–44 (1992) 1049
Balooch, M., see Allen 42–44 (1992) 1095
Baltruschat, H., see Vogel 42–44 (1992) 562
Bando, H., H. Tokumoto, A. Zettl and K. Kajimura, Construction of a low-temperature STM with in situ sample cleavage 42–44 (1992) 1627
Bar, G., S.N. Magonov, H.-J. Cantow, J. Gmeiner and M. Schwoerer, Atomic-scale imaging of anisotropic organic conductors by scanning probe techniques (STM/AFM) 42–44 (1992) 644

Elsevier Science Publishers B.V.

Bar, G., see Magonov 42–44 (1992) 1009
Baratoff, A., see Ciraci 42–44 (1992) 163
Baró, A.M., see Asenjo 42–44 (1992) 933
Baró, A.M., see Gómez-Rodríguez 42–44 (1992) 1321
Barrett, R.C. and C.F. Quate, Large-scale charge storage by scanning capacitance microscopy 42–44 (1992) 262
Barth, J.V., see Schuster 42–44 (1992) 533
Baschieri, P., see Allegrini 42–44 (1992) 371
Bashkin, M.O., V.A. Bespalov, A.V. Emelyanov, V.N. Inkin, S.M. Portnov, A.V. Zimin, S.I. Kharkevich and O.D. Menshikov, Surface modification of organic films deposited on graphite by the scanning tunneling microscope 42–44 (1992) 977
Batra, I.P., see Ciraci 42–44 (1992) 163
Batra, I.P. and S. Ciraci, Adsorption site of alkali metal overlayers on Si(001)-2×1 42–44 (1992) 889
Bauer, P., see Burger 42–44 (1992) 721
Bear, D., see Keller 42–44 (1992) 1173
Beauvillain, J., see Coratger 42–44 (1992) 653
Becker, C., see Gottschalk 42–44 (1992) 1376
Behm, R.J., see Schröder 42–44 (1992) 475
Behm, R.J., see Schuster 42–44 (1992) 533
Belin, M., see Rousset 42–44 (1992) 515
Bennett, J., see Dagata 42–44 (1992) 1288
Bergasa, F. and J.J. Sáenz, Is it possible to observe biological macromolecules by electrostatic force microscopy? 42–44 (1992) 1189
Berndt, R., J.K. Gimzewski and R.R. Schlittler, Enhanced photon emission from the STM: a general property of metal surfaces 42–44 (1992) 355
Berndt, R., see Gimzewski 42–44 (1992) 366
Berndt, R., J.K. Gimzewski and R.R. Schlittler, Tunneling characteristics at atomic resolution on close-packed metal surfaces 42–44 (1992) 528
Berthe, R., U. Hartmann and C. Heiden, Influence of a transport current on the Abrikosov flux lattice observed with a low-temperature scanning tunneling microscope 42–44 (1992) 696
Bertolini, J.C., see Porte 42–44 (1992) 1355
Besenbacher, F., see Ruan 42–44 (1992) 498
Besenbacher, F., see Eierdal 42–44 (1992) 505
Bespalov, V.A., see Bashkin 42–44 (1992) 977
Beveridge, T.J., see Mulhern 42–44 (1992) 1214
Bickmann, B., see Stocker 42–44 (1992) 1141
Bielefeldt, H., see Marti 42–44 (1992) 345
Bielefeldt, H., see Hipp 42–44 (1992) 1498
Binnig, G., Force microscopy 42–44 (1992) 7
Binnig, G., see Giessibl 42–44 (1992) 281
Binnig, G., see Heckl 42–44 (1992) 1073
Binnig, G., see Häberle 42–44 (1992) 1161
Binnig, G., see Ohnesorge 42–44 (1992) 1236
Birringer, R., see Wang 42–44 (1992) 594
Biscarini, F., see Kenkre 42–44 (1992) 122
Blackford, B.L., see Mulhern 42–44 (1992) 1214
Bocquet, M.-L., see Dunphy 42–44 (1992) 490
Bölger, B., see Van Hulst 42–44 (1992) 416
Bonnell, D.A. and I. Solomon, Measurement of space charge adjacent to oxide grain boundaries by tunneling spectroscopy 42–44 (1992) 788
Borbonus, M., see Haase 42–44 (1992) 541
Borisov, A.Y., see Golubok 42–44 (1992) 1228
Bosbach, D. and W. Rammensee, Surface manipulation on layered organic crystals by scanning force microscopy 42–44 (1992) 973
Bosch, J.-G., see Kent 42–44 (1992) 1632
Bottomley, L.A., see Allison 42–44 (1992) 1088
Bouju, X., C. Girard and B. Labani, Self-consistent study of the electromagnetic coupling between a thin probe tip and a surface: implication for atomic-force and near-field microscopy 42–44 (1992) 430
Bourhettar, A., see Troyon 42–44 (1992) 1564
Bourillot, E., see De Fornel 42–44 (1992) 422
Bozzolo, G. and J. Ferrante, Theoretical modelling of AFM for bimetallic tip–substrate interactions 42–44 (1992) 55
Bridges, G.E. and D.J. Thomson, High-frequency circuit characterization using the AFM as a reactive near-field probe 42–44 (1992) 321
Brodbeck, D., see Meyer 42–44 (1992) 274
Brodbeck, D., see Lang 42–44 (1992) 715
Brodbeck, D., see Overney 42–44 (1992) 983
Brodbeck, D., see Jung 42–44 (1992) 1446
Brodbeck, D., L. Howald, R. Lüthi, E. Meyer and R.M. Overney, Scan control and data acquisition for bidirectional force microscopy 42–44 (1992) 1580
Brodde, A. and H. Neddermeyer, Nucleation and growth of Fe on Cu(111) in the monolayer range 42–44 (1992) 556
Brorsson, G., see Olin 42–44 (1992) 734
Brown, G.M., see Allison 42–44 (1992) 1088
Brugger, J., see Buser 42–44 (1992) 1476
Brunner, O., see Maggio-Aprile 42–44 (1992) 728
Bruynseraede, Y., see Stockman 42–44 (1992) 1317
Bucher, E., see Fuchs 42–44 (1992) 1295
Buchholz, S., see Eng 42–44 (1992) 1059
Bumgarner, S. and P.E. Russell, Sample preparation for STM imaging of silicon at atmospheric pressure 42–44 (1992) 1433
Burger, J., P. Bauer, M. Veith and G. Saemann-Ischenko, Scanning tunneling microscopy of surface properties

of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ high-T_c thin films prepared by different methods 42–44 (1992) 721
Bürgler, D. and G. Tarrach, Model calculation for spin-polarized tunneling 42–44 (1992) 194
Bürgler, D., see Wiesendanger 42–44 (1992) 338
Burrell, P.M., see Zajac 42–44 (1992) 998
Buser, R.A., J. Brugger and N.F. de Rooij, Micromachined silicon cantilevers and tips for bidirectional force microscopy 42–44 (1992) 1476
Busmann, H.-G., see Zimmermann-Edling 42–44 (1992) 1366
Bustamante, C., see Kenkre 42–44 (1992) 122
Bustamante, C., see Keller 42–44 (1992) 1173
Bustamante, C., see Vesenka 42–44 (1992) 1243
Bustamante, C., see García 42–44 (1992) 1250

Cahill, D., see Avouris 42–44 (1992) 838
Cake, K., see Dahn 42–44 (1992) 1222
Campbell, P.A., see Hagan 42–44 (1992) 587
Cantow, H.-J., see Bar 42–44 (1992) 644
Cantow, H.-J., see Magonov 42–44 (1992) 1009
Cantow, H.-J., see Stocker 42–44 (1992) 1141
Carr, R. and R.E. Thomson, Device for high resolution positioning 42–44 (1992) 1606
Casero, R., P.A. Serena and N. García, Large enhancement of transmission probability in non-equilibrium time evolution quantum mechanics 42–44 (1992) 134
Castell, M.R., M.G. Walls and A. Howie, Imaging of low-load indentations into Si and GaAs by scanning tunneling microscopy 42–44 (1992) 1490
Cebollada, F., see Aguilar 42–44 (1992) 1329
Chahboun, A., see Coratger 42–44 (1992) 653
Chang, A., see Rong 42–44 (1992) 333
Chen, C.-H. and A.A. Gewirth, AFM study of the structure of underpotentially deposited Ag and Hg on Au(111) 42–44 (1992) 437
Chen, C.J., In-situ characterization of tip electronic structure in scanning tunneling microscopy 42–44 (1992) 147
Chen, C.J., In situ testing and calibration of tube piezoelectric scanners 42–44 (1992) 1653
Chen, R.-S., see Bai 42–44 (1992) 1079
Chen, T., see Sarid 42–44 (1992) 610
Ciraci, S., Atomic-scale tip–sample interactions and contact phenomena 42–44 (1992) 16
Ciraci, S., E. Tekman, M. Gökçedag, I.P. Batra and A. Baratoff, Adhesive energy, force and barrier height between simple metal surfaces 42–44 (1992) 163
Ciraci, S., see Batra 42–44 (1992) 889
Claeson, T., see Olin 42–44 (1992) 734
Coey, J.M.D., see Wiesendanger 42–44 (1992) 338
Cohen, L.F., see Rong 42–44 (1992) 333
Cohen, S.R., An evaluation of the use of the atomic force microscope for studies in nanomechanics 42–44 (1992) 66
Colchero, J., see Linder 42–44 (1992) 329
Colchero, J., see Marti 42–44 (1992) 345
Colchero, J., see Apell 42–44 (1992) 1133
Colchero, J., see Hipp 42–44 (1992) 1498
Comin, F., see Vazquez 42–44 (1992) 616
Coratger, R., A. Chahboun, V. Sivel, F. Ajustron and J. Beauvillain, Scanning tunneling microscopy of the damage induced by ion bombardment on a graphite surface 42–44 (1992) 653
Cousty, J., see Thibaudau 42–44 (1992) 511
Cox, G., Ph. Ebert, U. Poppe, M. Simon and K. Urban, Dislocation reaction on p-doped GaAs (011) observed by scanning tunnelling microscopy 42–44 (1992) 776
Cox, G., see Ebert 42–44 (1992) 871

Dagata, J.A., W. Tseng, J. Bennett, J. Schneir and H.H. Harary, Imaging of passivated III–V semiconductor surfaces by a scanning tunneling microscope operating in air 42–44 (1992) 1288
Dahn, D.C., K. Cake and L.R. Hale, Scanning tunneling microscopy of unbroken chloroplasts 42–44 (1992) 1222
Dai, C.D., see Tian 42–44 (1992) 460
Davidsson, P., see Olin 42–44 (1992) 734
Davidsson, P., H. Olin, M. Persson and S. Pehrson, Design and operation of a low-temperature scanning tunneling microscope suitable for operation below 1 K 42–44 (1992) 1470
Davydov, D.N., A.O. Golubok and S.A. Rykov, Local tunneling spectroscopy of n-PbTe surface 42–44 (1992) 878
Day, S., see Sautière 42–44 (1992) 1054
De Cheveigné, S., see Rousset 42–44 (1992) 515
De Fornel, F., L. Salomon, P. Adam, E. Bourillot, J.P. Goudonnet and M. Nevière, Resolution of the photon scanning tunneling microscope: influence of physical parameters 42–44 (1992) 422
De Grooth, B.G., see Putman 42–44 (1992) 1509
De Grooth, B.G., see Putman 42–44 (1992) 1549
De la Figuera, J., see Vazquez de Parga 42–44 (1992) 845
De Lozanne, A.L., see Ehrichs 42–44 (1992) 1438
De Rooij, N.F., see Buser 42–44 (1992) 1476
Delaine, E., see Vesenka 42–44 (1992) 1243
Deputy, D., see Keller 42–44 (1992) 1481
DeRose, J.A., see Oden 42–44 (1992) 580
Derycke, I., see Vigneron 42–44 (1992) 250
Descouts, P., see Jobin 42–44 (1992) 637
Descouts, P., see Emch 42–44 (1992) 1155
Descouts, P., see Zenhausern 42–44 (1992) 1168

Devoret, M.H., D. Esteve, H. Grabert, G.-L. Ingold, H. Pothier and C. Urbina, On the observability of Coulomb blockade and single-electron tunneling 42–44 (1992) 22
Diaspro, A. and M. Aguilar, Proposal for a new optical device to sense AFM forces 42–44 (1992) 1668
Dietz, P., see Kasper 42–44 (1992) 1181
Dinelli, F., see Allegrini 42–44 (1992) 371
Dobisz, E.A., see Marrian 42–44 (1992) 1309
Dransfeld, K., see Seifert 42–44 (1992) 379
Dumas, Ph., see Palmino 42–44 (1992) 928
Dunphy, J.C., D.F. Ogletree, M.B. Salmeron, P. Sautet, M.-L. Bocquet and C. Joachim, Tip-dependent contrast in STM imaging of adsorbed sulfur layers: theory and experiment 42–44 (1992) 490
Dürig, U., see Züger 42–44 (1992) 520
Dürig, U., see Michel 42–44 (1992) 1647

Eberle, K., see Radmacher 42–44 (1992) 968
Ebert, Ph., see Cox 42–44 (1992) 776
Ebert, Ph., G. Cox, U. Poppe and K. Urban, A STM study of the InP (110) surface 42–44 (1992) 871
Efremov, V.V., P.N. Louskinovich and V.I. Nikishin. Method for the experimental investigation of tip profiles for scanning tunneling microscopy 42–44 (1992) 1459
Eguchi, K., see Kishi 42–44 (1992) 1067
Ehara, S., see Oshio 42–44 (1992) 744
Ehrichs, E.E., W.F. Smith and A.L. de Lozanne, Four-probe resistance measurements of nickel wires written with a scanning tunneling microscope/scanning electron microscope system 42–44 (1992) 1438
Eierdal, L., F. Besenbacher, E. Lægsgaard and I. Stensgaard, Oxygen-induced restructuring of Ni(110) studied by scanning tunneling microscopy 42–44 (1992) 505
Eigler, D.M., see Zeppenfeld 42–44 (1992) 128
Elswijk, H.B. and E.J. van Loenen, Chemisorption and kinetics of Sb on Si(001) 42–44 (1992) 884
Emch, R., see Jobin 42–44 (1992) 637
Emch, R., F. Zenhausern, M. Jobin, M. Taborelli and P. Descouts, Morphological difference between fibronectin sprayed on mica and on PMMA 42–44 (1992) 1155
Emch, R., see Zenhausern 42–44 (1992) 1168
Emelyanov, A.V., see Bashkin 42–44 (1992) 977
Endo, T., H. Yamada, T. Sumomogi, K. Kuwahara, S. Morita and T. Kino, Atomic-resolution images of structural defects on microcrystalline graphite 42–44 (1992) 674
Enea, O., M. Rafai and A. Naudon, Scanning tunneling microscopy and X-ray reflectometry of Pt and Pd thin films prepared by DC sputtering 42–44 (1992) 572
Eng, L.M., H. Fuchs, K.D. Jandt and J. Petermann, Investigating poly(1-butene) films by SFM/STM 42–44 (1992) 989
Eng, L.M., H. Fuchs, S. Buchholz and J.P. Rabe, Ordering of didodecylbenzene on graphite: a combined SFM/STM study 42–44 (1992) 1059
Engel, A., see Schabert 42–44 (1992) 1118
Erlandsson, R., see Olsson 42–44 (1992) 73
Ermakov, A.V., see Adamchuk 42–44 (1992) 1602
Ertl, G., see Schuster 42–44 (1992) 533
Esteve, D., see Devoret 42–44 (1992) 22

Fainchtein, R. and P.R. Zarriello, A computer-controlled technique for electrochemical STM tip fabrication 42–44 (1992) 1533
Fedoseenko, S.I., see Adamchuk 42–44 (1992) 1602
Feenstra, R.M., A.J. Slavin, G.A. Held and M.A. Lutz, Edge melting of the Ge(111) surface studied by scanning tunneling microscopy 42–44 (1992) 33
Fen, Z.D., see Tian 42–44 (1992) 460
Fen, Z.D., see Mao 42–44 (1992) 464
Ferrante, J., see Bozzolo 42–44 (1992) 55
Ferrell, T.L., S.L. Sharp and R.J. Warmack, Progress in photon scanning tunneling microscopy 42–44 (1992) 408
Ferrell, T.L., see Thundat 42–44 (1992) 1083
Ferrell, T.L., see Allison 42–44 (1992) 1088
Ferrell, T.L., see Thundat 42–44 (1992) 1101
Ferrer, S., see Vazquez 42–44 (1992) 616
Finger, F., see Zimmermann-Edling 42–44 (1992) 1398
Fischer, Ø., see Renner 42–44 (1992) 699
Fischer, Ø., see Maggio-Aprile 42–44 (1992) 728
Fischer, Ø., see Kent 42–44 (1992) 1632
Fischer, U.Ch. and M. Zapletal, The concept of a coaxial tip as a probe for scanning near field optical microscopy and steps towards a realisation 42–44 (1992) 393
Fitzgerald, E.A., see Grigg 42–44 (1992) 1616
Flores, F., see Levy Yeyati 42–44 (1992) 242
Frediani, C., see Allegrini 42–44 (1992) 371
Frey, T., see Lang 42–44 (1992) 715
Fries, Th., see Gottschalk 42–44 (1992) 1376
Frindt, R.F., see Qin 42–44 (1992) 630
Frommer, J., see Meyer 42–44 (1992) 274
Frommer, J., see Overney 42–44 (1992) 983
Fuchs, H., see Wang 42–44 (1992) 594
Fuchs, H., see Schimmel 42–44 (1992) 683
Fuchs, H., see Eng 42–44 (1992) 989
Fuchs, H., see Eng 42–44 (1992) 1059

Fuchs, H., Th. Schimmel, M. Lux-Steiner and E. Bucher, Investigating atomic-scale structures generated with the STM 42–44 (1992) 1295
Fujii, T., see Suzuki 42–44 (1992) 1553
Fujisawa, T., see Yamamoto 42–44 (1992) 1422
Fujishima, A., see Sakamaki 42–44 (1992) 599
Fukano, Y., see Sugawara 42–44 (1992) 1372
Fukuda, T., see Tokumoto 42–44 (1992) 816
Fukuda, T., see Miki 42–44 (1992) 851
Fukuda, T., see Suzuki 42–44 (1992) 858

Gaisch, R., J.K. Gimzewski, B. Reihl, R.R. Schlittler, M. Tschudy and W.D. Schneider, Low-temperature ultra-high-vacuum scanning tunneling microscope 42–44 (1992) 1621
Gallagher, M., see Sarid 42–44 (1992) 610
Garbarz, J., see Lacaze 42–44 (1992) 1037
García, N., see Vu Thien Binh 42–44 (1992) 80
García, N., see Casero 42–44 (1992) 134
García, N., see Atlan 42–44 (1992) 154
García, R., J. Yuqiu, E. Schabtach and C. Bustamante, Deposition and imaging of metal-coated biomolecules with the STM 42–44 (1992) 1250
Gardet, G., see Atlan 42–44 (1992) 154
Garnaes, J., H. Lindgreen, P.L. Hansen, S.A.C. Gould and P.K. Hansma, Atomic force microscopy of ultrafine clay particles 42–44 (1992) 1428
Garzon, F.H., see Hawley 42–44 (1992) 705
Gaub, H.E., see Radmacher 42–44 (1992) 968
Gauthier, S., see Rousset 42–44 (1992) 515
Gautier, F., H. Ness and D. Stoeffler, Electronic structure of transition metal tips and tip–surface interactions 42–44 (1992) 91
Ge, Y., see Hu 42–44 (1992) 1394
Gerber, Ch., see Göbel 42–44 (1992) 1260
Gerner, E., see Seifert 42–44 (1992) 379
Gerth, G., see Haefke 42–44 (1992) 290
Gewirth, A.A., see Chen 42–44 (1992) 437
Giessibl, F.J. and G. Binnig, Investigation of the (001) cleavage plane of potassium bromide with an atomic force microscope at 4.2 K in ultra-high vacuum 42–44 (1992) 281
Gimzewski, J.K., see Berndt 42–44 (1992) 355
Gimzewski, J.K., R. Berndt and R.R. Schlittler, Observation of local photoemission using a scanning tunneling microscope 42–44 (1992) 366
Gimzewski, J.K., see Berndt 42–44 (1992) 528
Gimzewski, J.K., see Gaisch 42–44 (1992) 1621
Girard, C., see Bouju 42–44 (1992) 430
Girard, J.C., see Rousset 42–44 (1992) 515
Gleiter, H., see Wang 42–44 (1992) 594
Glembocki, O.J., E.S. Snow, C.R.K. Marrian, S.M. Prokes and D.S. Katzer, Nanoscale photovoltaic imaging using the scanning tunneling microscope 42–44 (1992) 764
Gmeiner, J., see Bar 42–44 (1992) 644
Göbel, H.D., J.K.H. Hörber, Ch. Gerber, A. Leitner and T.W. Hänsch, Molecular structures of lipid monolayers on ITO glass and on graphite imaged by an STM 42–44 (1992) 1260
Göddenhenrich, T., U. Hartmann and C. Heiden, Generation and imaging of domains with the magnetic force microscope 42–44 (1992) 256
Gökçedag, M., see Ciraci 42–44 (1992) 163
Goldie, K., see Schabert 42–44 (1992) 1118
Golubok, A.O., see Davydov 42–44 (1992) 878
Golubok, A.O., S.A. Vinogradova, S.Y. Tipisev, A.Y. Borisov, A.S. Taisova and O.V. Kolomytkin, STM/STS study of photosynthetic bacterial membrane 42–44 (1992) 1228
Golubok, A.O. and V.A. Timofeev, STM combined with SEM without SEM capability limitations 42–44 (1992) 1558
Golubok, A.O., S.A. Masalov and N.A. Tarasov, Thermofield tip formation in UHV/STM combined field emission microscope 42–44 (1992) 1574
Gómez, F., see Aguilar 42–44 (1992) 1329
Gómez-Rodríguez, J.M., see Asenjo 42–44 (1992) 933
Gómez-Rodríguez, J.M., A. Asenjo, R.C. Salvarezza and A.M. Baró, Measuring the fractal dimension with STM: application to vacuum-evaporated gold 42–44 (1992) 1321
Gonzáles, J.M., see Aguilar 42–44 (1992) 1329
Gottschalk, G., Th. Fries, C. Becker and K. Wandelt, Topography of sputtered Si(100) surfaces studied by STM in air 42–44 (1992) 1376
Goudonnet, J.P., see De Fornel 42–44 (1992) 422
Gould, S.A.C., see Garnaes 42–44 (1992) 1428
Grabert, H., see Devoret 42–44 (1992) 22
Grafström, S., see Kemmer 42–44 (1992) 1345
Graham, J.J., see Oden 42–44 (1992) 580
Gratz, A.J., see Hillner 42–44 (1992) 1387
Greve, J., see Putman 42–44 (1992) 1509
Greve, J., see Putman 42–44 (1992) 1549
Griffith, J.E., see Grigg 42–44 (1992) 1504
Griffith, J.E., see Grigg 42–44 (1992) 1616
Grigg, D.A., P.E. Russell and J.E. Griffith, Rocking-beam force-balance approach to atomic force microscopy 42–44 (1992) 1504
Grigg, D.A., P.E. Russell, J.E. Griffith, M.J. Vasile and E.A. Fitzgerald, Probe characterization for scanning probe metrology 42–44 (1992) 1616

Gründler, W., Theoretical treatment of mediated electron transfer in strong electric fields 42–44 (1992) 191
Gründler, W. and N.H. Thong, Electronic structure of small lithium–ammonia clusters 42–44 (1992) 206
Grütter, P., see Albrecht 42–44 (1992) 1638
Gryko, J. and R.E. Allen, Dimer switching on Si(100) 42–44 (1992) 793
Gu, M., see Hu 42–44 (1992) 1394
Gu, Y., see Hu 42–44 (1992) 1394
Guckenberger, R., see Hillebrand 42–44 (1992) 1255
Guckenberger, R., see Hacker 42–44 (1992) 1514
Guéret, P., Dynamic polarization effects and tunneling time 42–44 (1992) 809
Günther, C., see Schröder 42–44 (1992) 475
Güntherodt, H.-J., see Meyer 42–44 (1992) 274
Güntherodt, H.-J., see Wiesendanger 42–44 (1992) 338
Güntherodt, H.-J., see Scandella 42–44 (1992) 546
Güntherodt, H.-J., see Maguire 42–44 (1992) 689
Güntherodt, H.-J., see Overney 42–44 (1992) 983
Güntherodt, H.-J., see Schabert 42–44 (1992) 1118
Guo, C.X. and D.J. Thomson, Material transfer between metallic tips and surface in the STM 42–44 (1992) 1452
Guthold, M., see Vesenka 42–44 (1992) 1243

Haase, O., R. Koch, M. Borbonus and K.H. Rieder, Carbidic and graphitic carbon on Ni(771): aspects for catalysis 42–44 (1992) 541
Haberern, K.W., see Pashley 42–44 (1992) 1281
Häberle, W., J.K.H. Hörber, F. Ohnesorge, D.P.E. Smith and G. Binnig, In situ investigations of single living cells infected by viruses 42–44 (1992) 1161
Häberle, W., see Ohnesorge 42–44 (1992) 1236
Hachiya, T. and K. Itaya, In situ scanning tunneling microscopy of underpotential deposition in aqueous solution. III. Silver adlayers on Au(111) 42–44 (1992) 445
Hacker, B., A. Hillebrand, T. Hartmann and R. Guckenberger, Preparation and characterization of tips for scanning tunneling microscopy of biological specimens 42–44 (1992) 1514
Haefke, H., see Meyer 42–44 (1992) 274
Haefke, H., E. Meyer, L. Howald, U.D. Schwarz, G. Gerth and M. Krohn, Atomic surface and lattice structures of AgBr thin films 42–44 (1992) 290
Hagan, H.P., P.A. Campbell, K.W. Smith, R.J. Turner and D.G. Walmsley, Temporal behaviour of nanofeatures on Au 42–44 (1992) 587
Hale, L.R., see Dahn 42–44 (1992) 1222
Hamada, E. and R. Kaneko, Micro-tribological evaluations of a polymer surface by atomic force microscopes 42–44 (1992) 184
Hanrieder, W., R. Mock and H. Meixner, The whip motion of ultra-thin tunneling tips 42–44 (1992) 169
Hänsch, T.W., see Göbel 42–44 (1992) 1260
Hansen, P.L., see Garnaes 42–44 (1992) 1428
Hansma, P.K., see Weisenhorn 42–44 (1992) 1125
Hansma, P.K., see Kasper 42–44 (1992) 1181
Hansma, P.K., see Hillner 42–44 (1992) 1387
Hansma, P.K., see Garnaes 42–44 (1992) 1428
Hara, S., see Kaneko 42–44 (1992) 1542
Harary, H.H., see Dagata 42–44 (1992) 1288
Hartmann, T., see Hacker 42–44 (1992) 1514
Hartmann, U., Intermolecular and surface forces in noncontact scanning force microscopy 42–44 (1992) 59
Hartmann, U., see Göddenhenrich 42–44 (1992) 256
Hartmann, U., see Berthe 42–44 (1992) 696
Hashizume, T., M. Taniguchi, K. Motai, H. Lu, K. Tanaka and T. Sakurai, Oxygen adsorption on Ag(110) studied by the FI-STM 42–44 (1992) 553
Hashizume, T., see Ichimiya 42–44 (1992) 910
Hashizume, T., see Mera 42–44 (1992) 915
Hatanaka, K., see Kishi 42–44 (1992) 1067
Hawley, M.E., I.D. Raistrick, R.J. Houlton, F.H. Garzon and M. Piza, The effect of sputter deposition conditions on growth mechanism and microstructure of $YBa_2Cu_3O_{7-x}$ thin films on $NdGaO_3$ substrates studied by scanning tunneling microscopy 42–44 (1992) 705
Hayakawa, M., see Yamamoto 42–44 (1992) 1422
He, J., see Jin 42–44 (1992) 1340
Heckl, W.M. and G. Binnig, Domain walls on graphite mimic DNA 42–44 (1992) 1073
Heckl, W.M., see Ohnesorge 42–44 (1992) 1236
Hefti, A., see Schabert 42–44 (1992) 1118
Heiden, C., see Göddenhenrich 42–44 (1992) 256
Heiden, C., see Berthe 42–44 (1992) 696
Held, G.A., see Feenstra 42–44 (1992) 33
Herrmann, K.-H., see Kasper 42–44 (1992) 1181
Hertel, I.V., see Zimmermann-Edling 42–44 (1992) 1366
Hetrick, J., see Zheng 42–44 (1992) 1303
Heyvaert, I., see Stockman 42–44 (1992) 1317
Hidber, H.R., see Jung 42–44 (1992) 1446
Hiesgen, R. and D. Meissner, Problems of roughness measurements using STM 42–44 (1992) 1403
Hietschold, M. and H. Sbosny, Simple model for the topographic imaging process in a scanning tunneling microscope 42–44 (1992) 200
Hillebrand, A., T. Scheybani, W. Wiegräbe and R. Guckenberger, Re-

duction by ion-milling of surface corrugation of thin amorphous carbon films for biological specimen substrates in scanning tunneling microscopy 42–44 (1992) 1255
Hillebrand, A., see Hacker 42–44 (1992) 1514
Hillner, P.E., S. Manne, A.J. Gratz and P.K. Hansma, AFM images of dissolution and growth on a calcite crystal 42–44 (1992) 1387
Hipp, M., see Marti 42–44 (1992) 345
Hipp, M., H. Bielefeldt, J. Colchero, O. Marti and J. Mlynek, A stand-alone scanning force and friction microscope 42–44 (1992) 1498
Hirono, S., see Tanimoto 42–44 (1992) 1275
Hofer, R., see Jung 42–44 (1992) 1446
Hogervorst, A.C.R., see Hoogenraad 42–44 (1992) 1004
Homma, Y., see Suzuki 42–44 (1992) 940
Hoogenraad, F.G.C., A.C.R. Hogervorst, P.M.L.O. Scholte and F. Tuinstra, Schottky-barrier formation in conducting polymers 42–44 (1992) 1004
Hörber, J.K.H., see Häberle 42–44 (1992) 1161
Hörber, J.K.H., see Göbel 42–44 (1992) 1260
Horn-von Hoegen, M., see Köhler 42–44 (1992) 832
Houlton, R.J., see Hawley 42–44 (1992) 705
Howald, L., see Meyer 42–44 (1992) 274
Howald, L., see Haefke 42–44 (1992) 290
Howald, L., see Overney 42–44 (1992) 983
Howald, L., see Brodbeck 42–44 (1992) 1580
Howells, S., see Sarid 42–44 (1992) 610
Howie, A., see Castell 42–44 (1992) 1490
Hu, J., M. Gu, L. Zhang, Y. Xu, X. Yao, Z. Wang, Z. Huang, M. Li, Y. Gu, Y. Ge, Y. Li and Z. Wang, STM studies of uncovered SiO_2 nanometer-particles 42–44 (1992) 1394
Huang, G., see Bai 42–44 (1992) 1079
Huang, Y.J., J. Slinkman and C.C. Williams, Modelling of impurity dopant density measurement in semiconductors by scanning force microscopy 42–44 (1992) 298
Huang, Z., see Hu 42–44 (1992) 1394
Huang, Z.-H. and R.E. Allen, Influence of STM tip on electronic structure: Si(100) dimers 42–44 (1992) 97
Hübner, B., H.W.P. Koops, H. Pagnia, N. Sotnik, J. Urban and M. Weber, Tips for scanning tunneling microscopy produced by electron-beam-induced deposition 42–44 (1992) 1519
Hud, N.V., see Allen 42–44 (1992) 1095
Huerta-Garnica, M., see Rousset 42–44 (1992) 515
Huffman, D.R., see Sarid 42–44 (1992) 610
Hug, H.J., see Jung 42–44 (1992) 1446
Hughes, G., see Moriarty 42–44 (1992) 956
Hunt, E.R., see Pappas 42–44 (1992) 679
Hwang, R.Q., see Schröder 42–44 (1992) 475

Ichimiya, A., T. Hashizume, K. Ishiyama, K. Motai and T. Sakurai, Homo-epitaxial growth on the Si(111)7 × 7 surface 42–44 (1992) 910
Ida, T., see Sugawara 42–44 (1992) 1372
Ikeda, K., K. Takamuku, K. Yamaguchi, R. Itti, N. Koshizuka and S. Tanaka, Scanning tunneling microscopy of Bi–O surfaces of Bi2212 superconductors 42–44 (1992) 738
Inacker, O., see Kasper 42–44 (1992) 1181
Ingold, G.-L., see Devoret 42–44 (1992) 22
Inkin, V.N., see Bashkin 42–44 (1992) 977
Irwin, J.C., see Qin 42–44 (1992) 630
Ishiyama, K., see Ichimiya 42–44 (1992) 910
Isshiki, N., H. Kageshima, K. Kobayashi and M. Tsukada, First-principles simulation of STM/STS of Si(100) reconstructed surfaces 42–44 (1992) 109
Itaya, K., see Hachiya 42–44 (1992) 445
Itoh, M., see Tanaka 42–44 (1992) 864
Itoh, M., see Udagawa 42–44 (1992) 946
Itti, R., see Ikeda 42–44 (1992) 738
Ivanov, Z.G., see Olin 42–44 (1992) 734
Iwasaki, H., see Niwa 42–44 (1992) 1360
Iwatsuki, M., see Tokumoto 42–44 (1992) 816
Iwatsuki, M., see Miki 42–44 (1992) 851
Iwawaki, F., H. Kato, M. Tomitori and O. Nishikawa, STM study of geometric and electronic structures of Ge dimers on Si(001) 42–44 (1992) 895
Iwawaki, F., M. Tomitori and O. Nishikawa, STM study of initial stage of Ge epitaxy on Si(001) 42–44 (1992) 902

Jacobson, K.B., see Allison 42–44 (1992) 1088
Jandt, K.D., see Eng 42–44 (1992) 989
Jericho, M.H., see Mulhern 42–44 (1992) 1214
Jin, Y., J.Q. Qian, J. Wei, J.E. Yao, Sh.M. Liu, X.L. Yang, X.W. Wang, Zh. Wang, W.Sh. Ma, G.Y. Shang and J. He, Investigation of 10.6 micrometer laser-induced damage on Cu mirrors and Au-coated mirrors (Cu substrate) with STM 42–44 (1992) 1340
Joachim, C., see Sautet 42–44 (1992) 115
Joachim, C., see Dunphy 42–44 (1992) 490
Jobin, M., M. Taborelli, R. Emch, F. Zenhausern and P. Descouts, Hydroxylation and crystallization of electropolished titanium surface 42–44 (1992) 637
Jobin, M., see Emch 42–44 (1992) 1155
Jobin, M., see Zenhausern 42–44 (1992) 1168

Jung, T.A., A. Moser, H.J. Hug, D. Brodbeck, R. Hofer, H.R. Hidber and U.D. Schwarz, The atomic force microscope used as a powerful tool for machining surfaces 42–44 (1992) 1446
Jusko, O., see Köhler 42–44 (1992) 832

Kado, H., see Masaki 42–44 (1992) 1148
Kado, H., K. Yokoyama and T. Tohda, A novel ZnO whisker tip for atomic force microscopy 42–44 (1992) 1659
Kagawa, Y., see Masai 42–44 (1992) 1194
Kageshima, H., see Isshiki 42–44 (1992) 109
Kajimura, K., see Mizutani 42–44 (1992) 236
Kajimura, K., see Bando 42–44 (1992) 1627
Kaldis, E., see Lang 42–44 (1992) 715
Kamihara, Y., see Sugawara 42–44 (1992) 1372
Kamo, M., see Maguire 42–44 (1992) 689
Kaneko, R., see Hamada 42–44 (1992) 184
Kaneko, R., see Suzuki 42–44 (1992) 940
Kaneko, R., see Sugawara 42–44 (1992) 1372
Kaneko, R., S. Oguchi, S. Hara, R. Matsuda, T. Okada, H. Ogawa and Y. Nakamura, Atomic force microscope coupled with an optical microscope 42–44 (1992) 1542
Kanisawa, K., see Tanimoto 42–44 (1992) 1275
Karpinski, J., see Lang 42–44 (1992) 715
Kasemo, B., see Olin 42–44 (1992) 567
Kasper, K., K.-H. Herrmann, P. Dietz, P.K. Hansma, O. Inacker, H.-D. Lehmann and Th. Rintelen, Investigation of dialysis membranes with atomic force microscopy 42–44 (1992) 1181
Kataoka, T., see Oshio 42–44 (1992) 310
Kato, H., see Iwawaki 42–44 (1992) 895
Katzer, D.S., see Glembocki 42–44 (1992) 764
Keller, D.J., see Keller 42–44 (1992) 1173
Keller, D.J., see Vesenka 42–44 (1992) 1243
Keller, D.J., D. Deputy, A. Alduino and K. Luo, Sharp, vertical-walled tips for SFM imaging of steep or soft samples 42–44 (1992) 1481
Keller, E., see Magonov 42–44 (1992) 1009
Keller, R.W., D.J. Keller, D. Bear, J. Vesenka and C. Bustamante, Electrodeposition procedure of *E. coli* RNA polymerase onto gold and deposition of *E. coli* RNA polymerase onto mica for observation with scanning force microscopy 42–44 (1992) 1173
Kemmer, H., S. Grafström, M. Neitzert, M. Wörtge, R. Neumann, C. Trautmann, J. Vetter and N. Angert, Scanning tunneling microscopy of surface modifications induced by UNILAC heavy-ion irradiation 42–44 (1992) 1345
Kenkre, V.M., F. Biscarini and C. Bustamante, Theoretical framework for the interpretation of STM images of adsorbates 42–44 (1992) 122
Kent, A.D., see Renner 42–44 (1992) 699
Kent, A.D., see Maggio-Aprile 42–44 (1992) 728
Kent, A.D., Ch. Renner, Ph. Niedermann, J.-G. Bosch and Ø. Fischer, A low-temperature scanning tunneling microscope with in-situ sample cleaving 42–44 (1992) 1632
Kharkevich, S.I., see Bashkin 42–44 (1992) 977
Kiejna, A., Potential barrier for the metal–vacuum–metal tunneling electrons 42–44 (1992) 231
Kiener, A., see Ohnesorge 42–44 (1992) 1236
Kino, T., see Endo 42–44 (1992) 674
Kirschner, J., see Schmid 42–44 (1992) 483
Kishi, E., H. Matsuda, R. Kuroda, K. Takimoto, A. Yamano, K. Eguchi, K. Hatanaka and T. Nakagiri, Barrier-height imaging of fatty acid Langmuir–Blodgett films 42–44 (1992) 1067
Kitamura, N., see Sugimura 42–44 (1992) 468
Klein, J., see Rousset 42–44 (1992) 515
Kliese, R., B. Röttger, D. Badt and H. Neddermeyer, Real-time STM investigation of the initial stages of oxygen interaction with Si(100)2 × 1 42–44 (1992) 824
Knall, J., see Wilson 42–44 (1992) 801
Knoll, W., see Weisenhorn 42–44 (1992) 1125
Kobayashi, K., see Isshiki 42–44 (1992) 109
Kobayashi, K., see Tsukada 42–44 (1992) 360
Koch, R., see Haase 42–44 (1992) 541
Köhler, U., O. Jusko, B. Müller, M. Horn-von Hoegen and M. Pook, Layer-by-layer growth of germanium on Si(100): strain-induced morphology and the influence of surfactants 42–44 (1992) 832
Köhler, U., see Palmino 42–44 (1992) 928
Kolbe, W.F., D.F. Ogletree and M.B. Salmeron, Atomic force microscopy imaging of T4 bacteriophages on silicon substrates 42–44 (1992) 1113
Kolomytkin, O.V., see Golubok 42–44 (1992) 1228
Kondo, S., see Masai 42–44 (1992) 1194
Koops, H.W.P., see Hübner 42–44 (1992) 1519
Koshizuka, N., see Ikeda 42–44 (1992) 738
Krohn, M., see Haefke 42–44 (1992) 290
Kudoh, Y., see Suzuki 42–44 (1992) 940
Kuroda, R., see Kishi 42–44 (1992) 1067
Kurumizawa, T., see Yamamoto 42–44 (1992) 1422
Kusao, K., see Yamamoto 42–44 (1992) 1422
Kuwahara, K., see Endo 42–44 (1992) 674
Kwetkus, B.A. and K. Sattler, A STM/STS and XPS study of oxidized metal powders 42–44 (1992) 749

Labani, B., see Bouju 42–44 (1992) 430

Lacaze, E., J. Garbarz, V. Quillet, M. Schott, M.C. Pham, J. Moslih and P.C. Lacaze, STM of conducting polymer thin films formed by electropolymerization on graphite and gold 42–44 (1992) 1037
Lacaze, P.C., see Lacaze 42–44 (1992) 1037
Lægsgaard, E., see Ruan 42–44 (1992) 498
Lægsgaard, E., see Eierdal 42–44 (1992) 505
Laloyaux, Th., see Vigneron 42–44 (1992) 250
Lamb, L.D., see Sarid 42–44 (1992) 610
Lambin, Ph., see Vigneron 42–44 (1992) 250
Lang, H.P., V. Thommen-Geiser and R. Wiesendanger, Scanning tunneling microscopy study of ternary alkali-metal graphite intercalation compounds 42–44 (1992) 624
Lang, H.P., see Maguire 42–44 (1992) 689
Lang, H.P., J.P. Ramseyer, D. Brodbeck, T. Frey, J. Karpinski, E. Kaldis and Th. Wolf, Atomic resolution of single-crystalline $Y_2Ba_4Cu_{6+n}O_{14+n}$ ($n = 0, 1, 2$) and laser-ablated thin film $Y_1Ba_2Cu_3O_7$ HT_cSC by STM 42–44 (1992) 715
Lányi, Š. and M. Ožvold, Improved wide-range bimorph scanners 42–44 (1992) 1664
Laschinski, R., see Wang 42–44 (1992) 594
Laukhina, E.E., see Magonov 42–44 (1992) 1009
Lausmaa, J., see Olin 42–44 (1992) 567
Leatherbarrow, R.J., see Wells 42–44 (1992) 1200
Lee, I., E.D.T. Atkins and M.J. Miles, Visualization of the algal polysaccharide carrageenan by scanning tunnelling microscopy 42–44 (1992) 1107
Lehmann, H.-D., see Kasper 42–44 (1992) 1181
Lei, H.N., see Troyon 42–44 (1992) 1564
Leitner, A., see Göbel 42–44 (1992) 1260
Lévy, F., see Renner 42–44 (1992) 699
Levy Yeyati, A. and F. Flores, Theory of photovoltaic effect in STM: application to graphite 42–44 (1992) 242
Lewis, A., see Lieberman 42–44 (1992) 399
Li, M., see Hu 42–44 (1992) 1394
Li, Y., see Oden 42–44 (1992) 580
Li, Y., see Yang 42–44 (1992) 1031
Li, Y., see Hu 42–44 (1992) 1394
Libioulle, L., see Vigneron 42–44 (1992) 250
Lichtenberger, D.L., see Sarid 42–44 (1992) 610
Lieberman, K. and A. Lewis, Superresolution optical imaging with a high-brightness subwavelength light source 42–44 (1992) 399
Linder, A., J. Colchero, H.-J. Apell, O. Marti and J. Mlynek, Scanning force microscopy of diatom shells 42–44 (1992) 329
Linder, A., see Apell 42–44 (1992) 1133
Lindgreen, H., see Garnaes 42–44 (1992) 1428
Lindsay, S.M., see Oden 42–44 (1992) 580
Lio, A., see Allegrini 42–44 (1992) 371
Liu, Sh.M., see Jin 42–44 (1992) 1340
Lotz, B., see Stocker 42–44 (1992) 1141
Louskinovich, P.N., see Efremov 42–44 (1992) 1459
Lu, H., see Hashizume 42–44 (1992) 553
Lucas, A.A., see Vigneron 42–44 (1992) 250
Luo, K., see Keller 42–44 (1992) 1481
Lüthi, R., see Meyer 42–44 (1992) 274
Lüthi, R., see Brodbeck 42–44 (1992) 1580
Lutz, C.P., see Zeppenfeld 42–44 (1992) 128
Lutz, M.A., see Feenstra 42–44 (1992) 33
Lux-Steiner, M., see Schimmel 42–44 (1992) 683
Lux-Steiner, M., see Fuchs 42–44 (1992) 1295

Ma, W.Sh., see Jin 42–44 (1992) 1340
Ma, Z., C. Zhu, J. Shen and S. Pang, Behavior of small metal clusters on solid crystal surfaces 42–44 (1992) 1350
Machida, K., see Masaki 42–44 (1992) 1148
MacRae, C.M., Ultra-thin metal films for imaging low-conductivity surfaces by scanning tunneling microscopy 42–44 (1992) 1337
Maeda, K., see Mera 42–44 (1992) 915
Maggio-Aprile, I., A.D. Kent, Ph. Niedermann, Ch. Renner, L. Antognazza, L. Miéville, O. Brunner, J.-M. Triscone and Ø. Fischer, Studies of the surface structure of $YBa_2Cu_3O_7$ thin films using STM 42–44 (1992) 728
Magonov, S.N., see Bar 42–44 (1992) 644
Magonov, S.N., G. Bar, E. Keller, E.B. Yagubskii, E.E. Laukhina and H.-J. Cantow, Surface analysis of organic superconductors by scanning probe techniques: STM and AFM 42–44 (1992) 1009
Magonov, S.N., see Stocker 42–44 (1992) 1141
Maguire, H.G., M. Kamo, H.P. Lang and H.-J. Güntherodt, Localised structure of homoepitaxial diamond 42–44 (1992) 689
Manne, S., see Hillner 42–44 (1992) 1387
Mao, B.W., see Tian 42–44 (1992) 460
Mao, B.W., J.H. Ye, X.D. Zhuo, J.Q. Mu, Z.D. Fen and Z.W. Tian, A new method of STM tip fabrication for in-situ electrochemical studies 42–44 (1992) 464
Marchevsky, M.V., see Volodin 42–44 (1992) 757
Mariani, T., see Allegrini 42–44 (1992) 371
Marrian, C.R.K., see Glembocki 42–44 (1992) 764
Marrian, C.R.K. and E.A. Dobisz, High-resolution lithography with a vacuum STM 42–44 (1992) 1309
Marti, O., see Linder 42–44 (1992) 329
Marti, O., A. Ruf, M. Hipp, H. Bielefeldt, J. Colchero and J. Mlynek, Mechanical and thermal effects of laser irradiation on force microscope cantilevers 42–44 (1992) 345
Marti, O., see Apell 42–44 (1992) 1133

Marti, O., see Hipp 42–44 (1992) 1498
Martin-Gago, J.A., see Vazquez 42–44 (1992) 616
Masai, J., T. Shibata, Y. Kagawa and S. Kondo, Imaging of subunit complexes of thermophilic bacterium H^+-ATPase with scanning tunneling microscopy 42–44 (1992) 1194
Masaki, N., K. Machida, H. Kado, K. Yokoyama and T. Tohda, Molecular-resolution images of aspirin crystals with atomic force microscopy 42–44 (1992) 1148
Masalov, S.A., see Golubok 42–44 (1992) 1574
Masuhara, H., see Sugimura 42–44 (1992) 468
Mathiez, Ph., see Palmino 42–44 (1992) 928
Matsuda, H., see Kishi 42–44 (1992) 1067
Matsuda, R., see Kaneko 42–44 (1992) 1542
Matsushiro, M., see Suzuki 42–44 (1992) 1553
McBride, S.E., see Strozewski 42–44 (1992) 388
McGonical, G.C., see Yackoboski 42–44 (1992) 963
McInnes, D.A., see Wilson 42–44 (1992) 801
McLean II, W., see Tench 42–44 (1992) 668
Meissner, D., see Hiesgen 42–44 (1992) 1403
Meixner, H., see Hanrieder 42–44 (1992) 169
Menshikov, O.D., see Bashkin 42–44 (1992) 977
Mera, Y., T. Hashizume, K. Maeda and T. Sakurai, FI-STM investigation of the Si(111)2 × 1 cleaved surface 42–44 (1992) 915
Metaxas, C., see Zajac 42–44 (1992) 998
Meyer, E., L. Howald, R.M. Overney, D. Brodbeck, R. Lüthi, H. Haefke, J. Frommer and H.-J. Güntherodt, Structure and dynamics of solid surfaces observed by atomic force microscopy 42–44 (1992) 274
Meyer, E., see Haefke 42–44 (1992) 290
Meyer, E., see Overney 42–44 (1992) 983
Meyer, E., see Schabert 42–44 (1992) 1118
Meyer, E., see Brodbeck 42–44 (1992) 1580
Meyer, J.A., S.J. Stranick, J.B. Wang and P.S. Weiss, Field emission current–voltage curves as a diagnostic for scanning tunneling microscope tips 42–44 (1992) 1538
Michel, B., L. Novotny and U. Dürig, Low-temperature compatible *I–V* converter 42–44 (1992) 1647
Miéville, L., see Maggio-Aprile 42–44 (1992) 728
Miki, K., see Tokumoto 42–44 (1992) 816
Miki, K., Y. Morita, H. Tokumoto, T. Sato, M. Iwatsuki, M. Suzuki and T. Fukuda, Real-time observation of the Si(111):(7 × 7)–(1 × 1) phase transition by scanning tunneling microscopy 42–44 (1992) 851
Miki, K., see Morita 42–44 (1992) 922
Miles, M.J., see Sautière 42–44 (1992) 1054
Miles, M.J., see Lee 42–44 (1992) 1107
Miles, M.J., see Thomson 42–44 (1992) 1204
Miranda, R., see Vazquez de Parga 42–44 (1992) 845
Miyashita, M., see Suzuki 42–44 (1992) 1553
Mizutani, W., M. Shigeno, K. Kajimura and M. Ono, Tunneling through a deformed potential 42–44 (1992) 236
Mlynek, J., see Linder 42–44 (1992) 329
Mlynek, J., see Marti 42–44 (1992) 345
Mlynek, J., see Apell 42–44 (1992) 1133
Mlynek, J., see Hipp 42–44 (1992) 1498
Mock, R., see Hanrieder 42–44 (1992) 169
Moiseev, Yu.N., V.I. Panov, S.V. Savinov, I.V. Yaminsky, P. Todua and D. Znamensky, Atomic force and scanning tunneling microscopy of comb-like cholesteric liquid crystalline polymer LB films 42–44 (1992) 304
Moiseev, Yu.N., V.I. Panov, S.V. Savinov, S.I. Vasil'ev and I.V. Yaminsky, AFM and STM activities at Advanced Technologies Center 42–44 (1992) 1596
Molinàs-Mata, P., see Zegenhagen 42–44 (1992) 952
Möller, M., see Stocker 42–44 (1992) 1141
Montelius, L., M.-E. Pistol and L. Samuelson, Low-temperature luminescence due to minority carrier injection from the scanning tunneling microscope tip 42–44 (1992) 210
Moriarty, P. and G. Hughes, An investigation of the early stages of native oxide growth on chemically etched and sulfur-treated GaAs(100) and InP(100) surfaces by scanning tunnelling microscopy 42–44 (1992) 956
Morita, S., see Endo 42–44 (1992) 674
Morita, S., see Sugawara 42–44 (1992) 1372
Morita, Y., see Tokumoto 42–44 (1992) 816
Morita, Y., see Miki 42–44 (1992) 851
Morita, Y., K. Miki and H. Tokumoto, Scanning tunneling microscopy of 1%-HF-treated Si(111) surfaces 42–44 (1992) 922
Moriya, T., see Oshio 42–44 (1992) 744
Moser, A., see Jung 42–44 (1992) 1446
Moslih, J., see Lacaze 42–44 (1992) 1037
Motai, K., see Hashizume 42–44 (1992) 553
Motai, K., see Ichimiya 42–44 (1992) 910
Mou, J. and W.S. Yang, Scanning tunneling microscopy studies of alanine and phenylalanine molecules adsorbed on graphite 42–44 (1992) 1025
Mou, J., see Yang 42–44 (1992) 1031
Mouttet, C., see Palmino 42–44 (1992) 928
Mu, J.Q., see Tian 42–44 (1992) 460
Mu, J.Q., see Mao 42–44 (1992) 464
Mulhern, P.J., B.L. Blackford, M.H. Jericho, G. Southam and T.J. Beveridge, AFM and STM studies of the interac-

tion of antibodies with the S-layer sheath of the archaeobacterium *Methanospirillum hungatei* 42–44 (1992) 1214
Müller, B., see Köhler 42–44 (1992) 832
Müller, M., H. Vehoff and P. Neumann, STM on cracks in brittle materials 42–44 (1992) 1412
Murphy, J.C., see Srinivasan 42–44 (1992) 453

Nagahara, L.A., see Oden 42–44 (1992) 580
Nakagiri, T., see Kishi 42–44 (1992) 1067
Nakamoto, K. and K. Uozumi, A compact STM compatible with conventional SEM 42–44 (1992) 1569
Nakamura, Y., see Kaneko 42–44 (1992) 1542
Nakano, A., see Sugawara 42–44 (1992) 1372
Nakatani, N., see Oshio 42–44 (1992) 310
Naudon, A., see Enea 42–44 (1992) 572
Nayfeh, M.H., see Zheng 42–44 (1992) 1303
Nebesney, K.W., see Sarid 42–44 (1992) 610
Neddermeyer, H., see Brodde 42–44 (1992) 556
Neddermeyer, H., see Kliese 42–44 (1992) 824
Neitzert, M., see Kemmer 42–44 (1992) 1345
Ness, H., see Gautier 42–44 (1992) 91
Neumann, P., see Müller 42–44 (1992) 1412
Neumann, R., see Kemmer 42–44 (1992) 1345
Nevière, M., see De Fornel 42–44 (1992) 422
Niedermann, Ph., see Renner 42–44 (1992) 699
Niedermann, Ph., see Maggio-Aprile 42–44 (1992) 728
Niedermann, Ph., see Kent 42–44 (1992) 1632
Nikishin, V.I., see Efremov 42–44 (1992) 1459
Nilsson, P.-Å., see Olin 42–44 (1992) 734
Nishikawa, O., see Iwawaki 42–44 (1992) 895
Nishikawa, O., see Iwawaki 42–44 (1992) 902
Niwa, M., Y. Watanabe, I. Sumita and H. Iwasaki, Atomic rearrangement of the SiO_2-stripped Si(001) surface by thermal annealing 42–44 (1992) 1360
Noguera, C., see Sacks 42–44 (1992) 140
Nonnenmacher, M., M. O'Boyle and H.K. Wickramasinghe, Surface investigations with a Kelvin probe force microscope 42–44 (1992) 268
Nonnenmacher, M. and H.K. Wickramasinghe, Optical absorption spectroscopy by scanning force microscopy 42–44 (1992) 351
Noupa, C., see Porte 42–44 (1992) 1355
Novotny, L., see Michel 42–44 (1992) 1647

Obcemea, C.H. and B. Vidic, Bilipid layer molecular organization in P_β phase studied by scanning tunneling microscopy 42–44 (1992) 1019
O'Boyle, M., see Nonnenmacher 42–44 (1992) 268
Ocal, C., see Vazquez de Parga 42–44 (1992) 845
Oden, P.I., L.A. Nagahara, J.J. Graham, J. Pan, N.J. Tao, Y. Li, T.G. Thundat, J.A. DeRose and S.M. Lindsay, Atomic force and scanning tunneling microscopy observations of whisker crystals and surface modification on evaporated gold films 42–44 (1992) 580
Ogawa, H., see Kaneko 42–44 (1992) 1542
Ogletree, D.F., see Dunphy 42–44 (1992) 490
Ogletree, D.F., see Kolbe 42–44 (1992) 1113
Oguchi, S., see Kaneko 42–44 (1992) 1542
Ohkouchi, S. and I. Tanaka, Scanning tunneling microscopy of GaAs-on-InP heteroepitaxial growth 42–44 (1992) 771
Ohnesorge, F., see Häberle 42–44 (1992) 1161
Ohnesorge, F., W.M. Heckl, W. Häberle, D. Pum, M. Sara, H. Schindler, K. Schilcher, A. Kiener, D.P.E. Smith, U.B. Sleytr and G. Binnig, Scanning force microscopy studies of the S-layers from *Bacillus coagulans* E38-66, *Bacillus sphaericus* CCM2177 and of an antibody binding process 42–44 (1992) 1236
Oka, M., see Yamamoto 42–44 (1992) 1422
Okada, T., see Kaneko 42–44 (1992) 1542
Olin, H., B.-O. Aronsson, B. Kasemo, J. Lausmaa and M. Rodahl, Scanning tunneling microscopy of oxidized titanium surfaces in air 42–44 (1992) 567
Olin, H., G. Brorsson, P. Davidsson, Z.G. Ivanov, P.-Å. Nilsson and T. Claeson, Scanning tunneling microscopy of laser-deposited YBCO thin films 42–44 (1992) 734
Olin, H., see Davidsson 42–44 (1992) 1470
Olsson, L., P. Tengvall, R. Wigren and R. Erlandsson, Interaction forces between a tungsten tip and methylated SiO_2 surfaces studied with scanning force microscopy 42–44 (1992) 73
Onda, N., see Stalder 42–44 (1992) 781
Ono, M., see Mizutani 42–44 (1992) 236
Onuki, T., see Suzuki 42–44 (1992) 1553
Onuki, Y., see Sakamaki 42–44 (1992) 599
Osaka, J., see Tanimoto 42–44 (1992) 1275
Oshio, T., N. Nakatani, Y. Sakai, N. Suzuki and T. Kataoka, Atomic force microscope detection system using an optical fiber heterodyne interferometer free from external disturbances 42–44 (1992) 310
Oshio, T., Y. Sakai, T. Moriya and S. Ehara, STM study of transition-metal oxide 42–44 (1992) 744
Overney, R.M., see Meyer 42–44 (1992) 274
Overney, R.M., L. Howald, J. Frommer, E. Meyer, D. Brodbeck and H.-J. Güntherodt, Molecular surface structure of organic crystals observed by atomic force microscopy 42–44 (1992) 983
Overney, R.M., see Schabert 42–44 (1992) 1118

Overney, R.M., see Brodbeck 42–44 (1992) 1580
Ožvold, M., see Lányi 42–44 (1992) 1664

Pagnia, H., see Hübner 42–44 (1992) 1519
Palmino, F., Ph. Dumas, Ph. Mathiez, C. Mouttet, F. Salvan and U. Köhler, Scanning tunneling microscopy investigations on Pb/Si(111) 42–44 (1992) 928
Pan, J., see Oden 42–44 (1992) 580
Pancorbo, M., see Aguilar 42–44 (1992) 1329
Pang, S., see Ma 42–44 (1992) 1350
Panov, V.I., see Moiseev 42–44 (1992) 304
Panov, V.I., see Moiseev 42–44 (1992) 1596
Pappas, R.A., E.R. Hunt and S.E. Ulloa, STM study of $CuCl_2$ intercalated in graphite 42–44 (1992) 679
Pashley, M.D. and K.W. Haberern, Effect of Si doping on surface ordering of MBE GaAs(001) 42–44 (1992) 1281
Pattabiraman, N., see Srinivasan 42–44 (1992) 453
Patterson, M.Q., see Zajac 42–44 (1992) 998
Pehrson, S., see Davidsson 42–44 (1992) 1470
Persch, G. and H. Strecker, Applications of magnetic force microscopy in magnetic storage device manufacturing 42–44 (1992) 1269
Persson, M., see Davidsson 42–44 (1992) 1470
Petermann, J., see Eng 42–44 (1992) 989
Pethica, J.B., see Wilson 42–44 (1992) 801
Pham, M.C., see Lacaze 42–44 (1992) 1037
Phaner, M., see Porte 42–44 (1992) 1355
Pistol, M.-E., see Montelius 42–44 (1992) 210
Piza, M., see Hawley 42–44 (1992) 705
Pook, M., see Köhler 42–44 (1992) 832
Poppe, U., see Cox 42–44 (1992) 776
Poppe, U., see Ebert 42–44 (1992) 871
Porte, L., M. Phaner, C. Noupa, B. Tardy and J.C. Bertolini, Scanning tunneling microscopy investigation of small palladium catalyst particles supported on graphite 42–44 (1992) 1355
Portnov, S.M., see Bashkin 42–44 (1992) 977
Pothier, H., see Devoret 42–44 (1992) 22
Prasad, K., see Zimmermann-Edling 42–44 (1992) 1398
Prokes, S.M., see Glembocki 42–44 (1992) 764
Pum, D., see Ohnesorge 42–44 (1992) 1236
Putman, C.A.J., B.G. de Grooth, N.F. van Hulst and J. Greve, A theoretical comparison between interferometric and optical beam deflection technique for the measurement of cantilever displacement in AFM 42–44 (1992) 1509
Putman, C.A.J., K.O. van der Werf, B.G. de Grooth, N.F. van Hulst, F.B. Segerink and J. Greve, Atomic force microscope featuring an integrated optical microscope 42–44 (1992) 1549

Qian, J.Q., see Jin 42–44 (1992) 1340
Qin, X.R., D. Yang, R.F. Frindt and J.C. Irwin, Scanning tunneling microscopy of single-layer MoS_2 in water and butanol 42–44 (1992) 630
Quate, C.F., see Barrett 42–44 (1992) 262
Quate, C.F., see Yamada 42–44 (1992) 1044
Quillet, V., see Lacaze 42–44 (1992) 1037

Rabe, J.P., Molecules at interfaces: STM in materials and life sciences 42–44 (1992) 41
Rabe, J.P., see Eng 42–44 (1992) 1059
Radmacher, M., K. Eberle and H.E. Gaub, An AFM with integrated micro-fluorescence optics: design and performance 42–44 (1992) 968
Rafai, M., see Enea 42–44 (1992) 572
Raistrick, I.D., see Hawley 42–44 (1992) 705
Rammensee, W., see Bosbach 42–44 (1992) 973
Ramseyer, J.P., see Lang 42–44 (1992) 715
Ray, C.D., see Sarid 42–44 (1992) 610
Reihl, B., see Gaisch 42–44 (1992) 1621
Renner, Ch., A.D. Kent, Ph. Niedermann, Ø. Fischer and F. Lévy, Scanning tunneling spectroscopy of the Abrikosov flux lattice from the clean toward the dirty limit 42–44 (1992) 699
Renner, Ch., see Maggio-Aprile 42–44 (1992) 728
Renner, Ch., see Kent 42–44 (1992) 1632
Rieder, K.H., see Haase 42–44 (1992) 541
Rintelen, Th., see Kasper 42–44 (1992) 1181
Rodahl, M., see Olin 42–44 (1992) 567
Rodrigo, J.G., see Agraït 42–44 (1992) 177
Rohrer, H., STM: 10 years after 42–44 (1992) 1
Ronda, A., see Vigneron 42–44 (1992) 250
Rong, Z.Y., A. Chang, L.F. Cohen and E.L. Wolf, STM control of non-integer charge on a metal particle inferred from Coulomb staircase 42–44 (1992) 333
Röttger, B., see Kliese 42–44 (1992) 824
Rousset, S., S. Gauthier, O. Siboulet, J.C. Girard, S. de Cheveigné, M. Huerta-Garnica, W. Sacks, M. Belin and J. Klein, Step–step interactions on copper vicinal surfaces 42–44 (1992) 515
Ruan, L., I. Stensgaard, F. Besenbacher and E. Lægsgaard, A scanning tunneling microscopy study of the interaction of S with the Cu(111) surface 42–44 (1992) 498
Ruf, A., see Marti 42–44 (1992) 345
Rugar, D., see Albrecht 42–44 (1992) 1638
Russell, P.E., see Bumgarner 42–44 (1992) 1433
Russell, P.E., see Grigg 42–44 (1992) 1504
Russell, P.E., see Ximen 42–44 (1992) 1526
Russell, P.E., see Grigg 42–44 (1992) 1616
Rykov, S.A., see Davydov 42–44 (1992) 878

Saburi, T., see Yamamoto 42–44 (1992) 1422
Sacks, W. and C. Noguera, Investigation of the tunneling current for adsorbates on a surface 42–44 (1992) 140
Sacks, W., see Rousset 42–44 (1992) 515
Saemann-Ischenko, G., see Burger 42–44 (1992) 721
Sáenz, J.J., see Atlan 42–44 (1992) 154
Sáenz, J.J., see Bergasa 42–44 (1992) 1189
Sai, F., see Watanuki 42–44 (1992) 315
Sakai, Y., see Oshio 42–44 (1992) 310
Sakai, Y., see Oshio 42–44 (1992) 744
Sakamaki, K., A. Fujishima and Y. Onuki, In-situ observation of 1T-$TaS_{2-x}Se_x$ charge density waves 42–44 (1992) 599
Sakurai, T., see Hashizume 42–44 (1992) 553
Sakurai, T., see Ichimiya 42–44 (1992) 910
Sakurai, T., see Mera 42–44 (1992) 915
Salmeron, M.B., see Dunphy 42–44 (1992) 490
Salmeron, M.B., see Kolbe 42–44 (1992) 1113
Salomon, L., see De Fornel 42–44 (1992) 422
Salvan, F., see Palmino 42–44 (1992) 928
Salvarezza, R.C., see Gómez-Rodríguez 42–44 (1992) 1321
Samuelson, L., see Montelius 42–44 (1992) 210
Sander, R., see Wang 42–44 (1992) 594
Sander, R., see Schimmel 42–44 (1992) 683
Sara, M., see Ohnesorge 42–44 (1992) 1236
Sarid, D., T. Chen, S. Howells, M. Gallagher, L. Yi, D.L. Lichtenberger, K.W. Nebesney, C.D. Ray, D.R. Huffman and L.D. Lamb, Buckyball–substrate interactions probed by STM and AFM 42–44 (1992) 610
Sato, T., see Tokumoto 42–44 (1992) 816
Sato, T., see Miki 42–44 (1992) 851
Sattler, K., see Kwetkus 42–44 (1992) 749
Sautet, P. and C. Joachim, Are electronic interference effects important for STM imaging of substrates and adsorbates? A theoretical analysis 42–44 (1992) 115
Sautet, P., see Dunphy 42–44 (1992) 490
Sautière, L., S. Day and M.J. Miles, Smectic structures in a two-component liquid crystal mixture 42–44 (1992) 1054
Savinov, S.V., see Moiseev 42–44 (1992) 304
Savinov, S.V., see Moiseev 42–44 (1992) 1596
Sbosny, H., see Hietschold 42–44 (1992) 200
Scandella, L. and H.-J. Güntherodt, Field emission resonances studied with $dI/ds(V)$ and $dI/dV(V)$ curves 42–44 (1992) 546
Schabert, F., A. Hefti, K. Goldie, A. Stemmer, A. Engel, E. Meyer, R.M. Overney and H.-J. Güntherodt, Ambient-pressure scanning probe microscopy of 2D regular protein arrays 42–44 (1992) 1118
Schabtach, E., see García 42–44 (1992) 1250
Scheybani, T., see Hillebrand 42–44 (1992) 1255
Schilcher, K., see Ohnesorge 42–44 (1992) 1236
Schimizu, T., see Tsukada 42–44 (1992) 360
Schimmel, Th., H. Fuchs, R. Sander and M. Lux-Steiner, Atomically resolved STM imaging of ion-bombarded WSe_2 42–44 (1992) 683
Schimmel, Th., see Fuchs 42–44 (1992) 1295
Schindler, H., see Ohnesorge 42–44 (1992) 1236
Schlittler, R.R., see Berndt 42–44 (1992) 355
Schlittler, R.R., see Gimzewski 42–44 (1992) 366
Schlittler, R.R., see Berndt 42–44 (1992) 528
Schlittler, R.R., see Gaisch 42–44 (1992) 1621
Schlögl, R., see Atamny 42–44 (1992) 660
Schmid, A.K. and J. Kirschner, In situ observation of epitaxial growth of Co thin films on Cu(100) 42–44 (1992) 483
Schmid, M. and P. Varga, Analysis of vibration-isolating systems for scanning tunneling microscopes 42–44 (1992) 1610
Schmitt, F.-J., see Weisenhorn 42–44 (1992) 1125
Schneider, W.D., see Gaisch 42–44 (1992) 1621
Schneir, J., see Dagata 42–44 (1992) 1288
Scholte, P.M.L.O., see Hoogenraad 42–44 (1992) 1004
Schott, M., see Lacaze 42–44 (1992) 1037
Schrick, J.J., see Allison 42–44 (1992) 1088
Schröder, J., C. Günther, R.Q. Hwang and R.J. Behm, A comparative STM study of the growth of thin Au films on clean and oxygen-precovered Ru(0001) surfaces 42–44 (1992) 475
Schuster, R., J.V. Barth, J. Wintterlin, R.J. Behm and G. Ertl, Distance dependence and corrugation in barrier-height measurements on metal surfaces 42–44 (1992) 533
Schwarz, U.D., see Haefke 42–44 (1992) 290
Schwarz, U.D., see Jung 42–44 (1992) 1446
Schwoerer, M., see Bar 42–44 (1992) 644
Segerink, F.B., see Van Hulst 42–44 (1992) 416
Segerink, F.B., see Putman 42–44 (1992) 1549
Seifert, W., E. Gerner, M. Stachel and K. Dransfeld, Scanning tunneling microscopy at microwave frequencies 42–44 (1992) 379
Serena, P.A., see Casero 42–44 (1992) 134
Shah, A., see Zimmermann-Edling 42–44 (1992) 1398
Shang, G.Y., see Jin 42–44 (1992) 1340
Sharp, S.L., see Ferrell 42–44 (1992) 408
Shen, J., see Ma 42–44 (1992) 1350
Shewry, P.R., see Thomson 42–44 (1992) 1204
Shibata, T., see Masai 42–44 (1992) 1194
Shigeno, M., see Mizutani 42–44 (1992) 236
Shimo, N., see Sugimura 42–44 (1992) 468
Shvets, I.V., see Wiesendanger 42–44 (1992) 338
Siboulet, O., see Rousset 42–44 (1992) 515
Siekhaus, W.J., see Tench 42–44 (1992) 668
Siekhaus, W.J., see Allen 42–44 (1992) 1049
Siekhaus, W.J., see Allen 42–44 (1992) 1095
Simon, M., see Cox 42–44 (1992) 776
Sirringhaus, H., see Stalder 42–44 (1992) 781

Sivel, V., see Coratger 42–44 (1992) 653
Slavin, A.J., see Feenstra 42–44 (1992) 33
Sleytr, U.B., see Ohnesorge 42–44 (1992) 1236
Slinkman, J., see Huang 42–44 (1992) 298
Smith, D.P.E., see Häberle 42–44 (1992) 1161
Smith, D.P.E., see Ohnesorge 42–44 (1992) 1236
Smith, D.P.E., see Albrecht 42–44 (1992) 1638
Smith, K.W., see Hagan 42–44 (1992) 587
Smith, W.F., see Ehrichs 42–44 (1992) 1438
Snow, E.S., see Glembocki 42–44 (1992) 764
Solomon, I., see Bonnell 42–44 (1992) 788
Sotnik, N., see Hübner 42–44 (1992) 1519
Southam, G., see Mulhern 42–44 (1992) 1214
Sprang, H., see Zimmermann-Edling 42–44 (1992) 1366
Srinivasan, R., J.C. Murphy and N. Pattabiraman, STM observations of two-dimensional condensed layers on solid electrodes 42–44 (1992) 453
Stachel, M., see Seifert 42–44 (1992) 379
Stalder, R., H. Sirringhaus, N. Onda and H. von Känel, Interfacial dislocations detected by scanning tunneling microscopy 42–44 (1992) 781
Stedman, M., see Wells 42–44 (1992) 1200
Stemmer, A., see Schabert 42–44 (1992) 1118
Stensgaard, I., see Ruan 42–44 (1992) 498
Stensgaard, I., see Eierdal 42–44 (1992) 505
Stephan, J., see Atamny 42–44 (1992) 660
Stocker, W., B. Bickmann, S.N. Magonov, H.-J. Cantow, B. Lotz, J.-C. Wittmann and M. Möller, Surface structure of polymers and their model compounds observed by atomic force microscopy 42–44 (1992) 1141
Stockman, L., H. Vloeberghs, I. Heyvaert, C. Van Haesendonck and Y. Bruynseraede, Topographic study of thin gold films grown on SiO_2 42–44 (1992) 1317
Stoeffler, D., see Gautier 42–44 (1992) 91
Stoll, E.P., Restoration of STM images distorted by time-dependent piezo driver aftereffects 42–44 (1992) 1585
Stranick, S.J., see Meyer 42–44 (1992) 1538
Strecker, H., see Persch 42–44 (1992) 1269
Strozewski, K.J., S.E. McBride and G.C. Wetsel, Jr., High-frequency surface-displacement detection using an STM as a mixer–demodulator 42–44 (1992) 388
Subbiah, S., see Allen 42–44 (1992) 1049
Sueoka, K., see Watanuki 42–44 (1992) 315
Sugawara, Y., Y. Fukano, Y. Kamihara, S. Morita, A. Nakano, T. Ida and R. Kaneko, AFM/STM investigation of polycrystalline Si surface 42–44 (1992) 1372
Sugimura, H., T. Uchida, N. Shimo, N. Kitamura and H. Masuhara, Fluorescent micropattern formation on ionic conductive polymer films by a scanning electrochemical microscope 42–44 (1992) 468
Sumita, I., see Tanaka 42–44 (1992) 864
Sumita, I., see Udagawa 42–44 (1992) 946
Sumita, I., see Niwa 42–44 (1992) 1360
Sumomogi, T., see Endo 42–44 (1992) 674
Sutton, A.P., see Wilson 42–44 (1992) 801
Suzuki, M., see Tokumoto 42–44 (1992) 816
Suzuki, M., see Miki 42–44 (1992) 851
Suzuki, M. and T. Fukuda, Observation of indium on GaAs(110) surfaces by scanning tunneling microscopy 42–44 (1992) 858
Suzuki, M., Y. Homma, Y. Kudoh and R. Kaneko, Observation of step formation on vicinal Si(111) surfaces by atomic force microscopy 42–44 (1992) 940
Suzuki, M., T. Fujii, T. Onuki, M. Miyashita and M. Matsushiro, Scanning tunneling microscope coaxially arranged with an optical microscope 42–44 (1992) 1553
Suzuki, N., see Oshio 42–44 (1992) 310

Taborelli, M., see Jobin 42–44 (1992) 637
Taborelli, M., see Emch 42–44 (1992) 1155
Taborelli, M., see Zenhausern 42–44 (1992) 1168
Taisova, A.S., see Golubok 42–44 (1992) 1228
Takamuku, K., see Ikeda 42–44 (1992) 738
Takigami, T., see Tanimoto 42–44 (1992) 1275
Takigami, T., see Tanimoto 42–44 (1992) 1381
Takimoto, K., see Kishi 42–44 (1992) 1067
Tanaka, H., M. Udagawa, M. Itoh, T. Uchiyama, Y. Watanabe, T. Yokotsuka and I. Sumita, Si(111)7 × 7 domain boundaries on vicinal surfaces 42–44 (1992) 864
Tanaka, H., see Udagawa 42–44 (1992) 946
Tanaka, I., see Ohkouchi 42–44 (1992) 771
Tanaka, K., see Hashizume 42–44 (1992) 553
Tanaka, S., see Ikeda 42–44 (1992) 738
Tang, C.L., see Vesenka 42–44 (1992) 1243
Taniguchi, M., see Hashizume 42–44 (1992) 553
Tanimoto, M., J. Osaka, T. Takigami, S. Hirono and K. Kanisawa, Scanning tunneling microscopy on molecular-beam-epitaxy-grown GaAs(001) surfaces 42–44 (1992) 1275
Tanimoto, M. and T. Takigami, Three-dimensional impurity profiling using chemical etching and scanning tunneling microscopy 42–44 (1992) 1381
Tansock, J. and C.C. Williams, Force measurement with a piezoelectric cantilever in a scanning force microscope 42–44 (1992) 1464
Tao, N.J., see Oden 42–44 (1992) 580
Tarasov, N.A., On the dynamics of statistical fluctuations in the electron tun-

neling process and the problems of STM resolution 42–44 (1992) 223
Tarasov, N.A., see Golubok 42–44 (1992) 1574
Tardy, B., see Porte 42–44 (1992) 1355
Tarrach, G., see Bürgler 42–44 (1992) 194
Tarrach, G., see Wiesendanger 42–44 (1992) 338
Tatham, A.S., see Thomson 42–44 (1992) 1204
Taylor, M.E., Inelastic processes in tunnelling electrodes 42–44 (1992) 215
Taylor, M.E. and M.E. Welland, Charging effects observed with niobium tips on gold films 42–44 (1992) 1590
Tekman, E., see Ciraci 42–44 (1992) 163
Tench, R.J., M. Balooch, W.J. Siekhaus and W. McLean II, Scanning-tunneling-microscopy-enhanced oxidation of uranium deposited on the basal plane of graphite 42–44 (1992) 668
Tench, R.J., see Allen 42–44 (1992) 1049
Tench, R.J., see Allen 42–44 (1992) 1095
Tengvall, P., see Olsson 42–44 (1992) 73
Thibaudau, F. and J. Cousty, On the shape of monatomic steps of copper surface in STM images 42–44 (1992) 511
Thommen-Geiser, V., see Lang 42–44 (1992) 624
Thomson, D.J., see Bridges 42–44 (1992) 321
Thomson, D.J., see Yackoboski 42–44 (1992) 963
Thomson, D.J., see Guo 42–44 (1992) 1452
Thomson, N.H., M.J. Miles, A.S. Tatham and P.R. Shewry, Molecular images of cereal proteins by STM 42–44 (1992) 1204
Thomson, R.E., see Carr 42–44 (1992) 1606
Thong, N.H., see Gründler 42–44 (1992) 206
Thundat, T., R.J. Warmack, D.P. Allison and T.L. Ferrell, Electrostatic spraying of DNA molecules for investigation by scanning tunneling microscopy 42–44 (1992) 1083
Thundat, T., see Allison 42–44 (1992) 1088
Thundat, T., D.P. Allison, R.J. Warmack and T.L. Ferrell, Imaging isolated strands of DNA molecules by atomic force microscopy 42–44 (1992) 1101
Thundat, T.G., see Oden 42–44 (1992) 580
Tian, Z.W., X.D. Zhuo, J.Q. Mu, J.H. Ye, Z.D. Fen, B.W. Mao, C.L. Bai and C.D. Dai, A new electrochemical scanning tunneling microscope 42–44 (1992) 460
Tian, Z.W., see Mao 42–44 (1992) 464
Timofeev, V.A., see Golubok 42–44 (1992) 1558
Tipisev, S.Y., see Golubok 42–44 (1992) 1228
Todua, P., see Moiseev 42–44 (1992) 304
Tohda, T., see Masaki 42–44 (1992) 1148
Tohda, T., see Kado 42–44 (1992) 1659
Tokumoto, H., K. Miki, Y. Morita, T. Sato, M. Iwatsuki, M. Suzuki and T. Fukuda, Real-time observation of step motion on Si(111) surface by scanning tunneling microscopy 42–44 (1992) 816
Tokumoto, H., see Miki 42–44 (1992) 851
Tokumoto, H., see Morita 42–44 (1992) 922
Tokumoto, H., see Bando 42–44 (1992) 1627
Tomitori, M., see Iwawaki 42–44 (1992) 895
Tomitori, M., see Iwawaki 42–44 (1992) 902
Trautmann, C., see Kemmer 42–44 (1992) 1345
Triscone, J.-M., see Maggio-Aprile 42–44 (1992) 728
Troyon, M., H.N. Lei and A. Bourhettar, Integration of an STM in an SEM 42–44 (1992) 1564
Tschudy, M., see Gaisch 42–44 (1992) 1621
Tseng, W., see Dagata 42–44 (1992) 1288
Tsukada, M., see Watanabe 42–44 (1992) 105
Tsukada, M., see Isshiki 42–44 (1992) 109
Tsukada, M., T. Schimizu and K. Kobayashi, Microscopic theory of light emission from the scanning tunneling microscope 42–44 (1992) 360
Tuinstra, F., see Hoogenraad 42–44 (1992) 1004
Turner, R.J., see Hagan 42–44 (1992) 587

Uchida, T., see Sugimura 42–44 (1992) 468
Uchiyama, T., see Tanaka 42–44 (1992) 864
Uchiyama, T., see Udagawa 42–44 (1992) 946
Udagawa, M., see Tanaka 42–44 (1992) 864
Udagawa, M., Y. Umetani, H. Tanaka, M. Itoh, T. Uchiyama, Y. Watanabe, T. Yokotsuka and I. Sumita, The initial stages of the oxidation of Si(100)-2 × 1 studied by STM 42–44 (1992) 946
Uesugi, K. and T. Yao, Nanometer-scale fabrication on graphite surfaces by scanning tunneling microscopy 42–44 (1992) 1443
Ulloa, S.E., see Pappas 42–44 (1992) 679
Umetani, Y., see Udagawa 42–44 (1992) 946
Uozumi, K., see Nakamoto 42–44 (1992) 1569
Urban, J., see Hübner 42–44 (1992) 1519
Urban, K., see Cox 42–44 (1992) 776
Urban, K., see Ebert 42–44 (1992) 871
Urbina, C., see Devoret 42–44 (1992) 22

Van der Werf, K.O., see Putman 42–44 (1992) 1549
Van Haesendonck, C., see Stockman 42–44 (1992) 1317
Van Hulst, N.F., F.B. Segerink, F. Achten and B. Bölger, Evanescent-field optical microscopy: effects of polarization, tip shape and radiative waves 42–44 (1992) 416
Van Hulst, N.F., see Putman 42–44 (1992) 1509
Van Hulst, N.F., see Putman 42–44 (1992) 1549
Van Loenen, E.J., see Elswijk 42–44 (1992) 884
Varga, P., see Schmid 42–44 (1992) 1610
Vasile, M.J., see Grigg 42–44 (1992) 1616
Vasil'ev, S.I., see Moiseev 42–44 (1992) 1596
Vázquez, F., see Aguilar 42–44 (1992) 1329

Vazquez, L., J.A. Martin-Gago, F. Comin and S. Ferrer, Scanning tunneling microscopy observation of the initial stages of growth of carbon films grown by pulsed laser vaporization of graphite 42–44 (1992) 616
Vázquez, M., see Aguilar 42–44 (1992) 1329
Vazquez de Parga, A.L., J. de la Figuera, C. Ocal and R. Miranda, A new metastable epitaxial silicide: $FeSi_2$/Si(111) 42–44 (1992) 845
Vehoff, H., see Müller 42–44 (1992) 1412
Veith, M., see Burger 42–44 (1992) 721
Vesenka, J., see Keller 42–44 (1992) 1173
Vesenka, J., M. Guthold, C.L. Tang, D.J. Keller, E. Delaine and C. Bustamante, Substrate preparation for reliable imaging of DNA molecules with the scanning force microscope 42–44 (1992) 1243
Vetter, J., see Kemmer 42–44 (1992) 1345
Vidic, B., see Obcemea 42–44 (1992) 1019
Vieira, S., see Agraït 42–44 (1992) 177
Vigneron, J.P., I. Derycke, Ph. Lambin, Th. Laloyaux, A.A. Lucas, L. Libioulle and A. Ronda, Three-dimensional scattering and scanning tunneling microscope images 42–44 (1992) 250
Vinogradova, S.A., see Golubok 42–44 (1992) 1228
Vloeberghs, H., see Stockman 42–44 (1992) 1317
Vogel, R. and H. Baltruschat, Polymorphism of iodine adlattices on Pt(100) 42–44 (1992) 562
Volodin, A.P. and M.V. Marchevsky, Magnetic force microscopy investigation of superconductors: first results 42–44 (1992) 757
Von Känel, H., see Stalder 42–44 (1992) 781
Vu Thien Binh and N. García, On the electron and metallic ion emission from nanotips fabricated by field-surface-melting technique: experiments on W and Au tips 42–44 (1992) 80
Vu Thien Binh, see Atlan 42–44 (1992) 154

Walls, M.G., see Castell 42–44 (1992) 1490
Walmsley, D.G., see Hagan 42–44 (1992) 587
Wan, M., see Bai 42–44 (1992) 1079
Wandelt, K., see Gottschalk 42–44 (1992) 1376
Wang, G.H., H. Fuchs, R. Laschinski, R. Sander, R. Birringer and H. Gleiter, Scanning tunneling microscopy of nanostructured palladium 42–44 (1992) 594
Wang, J.B., see Meyer 42–44 (1992) 1538
Wang, X.W., see Jin 42–44 (1992) 1340
Wang, Z., see Hu 42–44 (1992) 1394
Wang, Z., see Hu 42–44 (1992) 1394
Wang, Zh., see Jin 42–44 (1992) 1340
Warmack, R.J., see Ferrell 42–44 (1992) 408
Warmack, R.J., see Thundat 42–44 (1992) 1083
Warmack, R.J., see Allison 42–44 (1992) 1088
Warmack, R.J., see Thundat 42–44 (1992) 1101
Watanabe, S., M. Aono and M. Tsukada, First-principles calculation of STM images of the Si(111)$\sqrt{3} \times \sqrt{3}$-Ag surface 42–44 (1992) 105
Watanabe, Y., see Tanaka 42–44 (1992) 864
Watanabe, Y., see Udagawa 42–44 (1992) 946
Watanabe, Y., see Niwa 42–44 (1992) 1360
Watanuki, O., F. Sai and K. Sueoka, Magnetic-force-sensing STM: novel application of STM for simultaneous measurement of topography and field gradient of magnetic recording heads 42–44 (1992) 315
Weber, M., see Hübner 42–44 (1992) 1519
Wei, J., see Jin 42–44 (1992) 1340
Weisenhorn, A.L., F.-J. Schmitt, W. Knoll and P.K. Hansma, Streptavidin binding observed with an atomic force microscope 42–44 (1992) 1125
Weiss, P.S., see Meyer 42–44 (1992) 1538
Welland, M.E., see Taylor 42–44 (1992) 1590
Wells, T.N.C., M. Stedman and R.J. Leatherbarrow, Imaging of proteins by scanning tunnelling microscopy 42–44 (1992) 1200
Wetsel, Jr., G.C., see Strozewski 42–44 (1992) 388
Wickramasinghe, H.K., see Nonnenmacher 42–44 (1992) 268
Wickramasinghe, H.K., see Nonnenmacher 42–44 (1992) 351
Wiegräbe, W., see Hillebrand 42–44 (1992) 1255
Wiesendanger, R., I.V. Shvets, D. Bürgler, G. Tarrach, H.-J. Güntherodt and J.M.D. Coey, Recent advances in spin-polarized scanning tunneling microscopy 42–44 (1992) 338
Wiesendanger, R., see Lang 42–44 (1992) 624
Wiesendanger, R., see Zimmermann-Edling 42–44 (1992) 1398
Wigren, R., see Olsson 42–44 (1992) 73
Williams, C.C., see Huang 42–44 (1992) 298
Williams, C.C., see Tansock 42–44 (1992) 1464
Wilson, J.H., D.A. McInnes, J. Knall, A.P. Sutton and J.B. Pethica, Quantitative voltage-dependent STM image simulations for semiconductors 42–44 (1992) 801
Wintterlin, J., see Schuster 42–44 (1992) 533
Wirth, W.J., see Atamny 42–44 (1992) 660
Wittmann, J.-C., see Stocker 42–44 (1992) 1141
Wolf, E.L., see Rong 42–44 (1992) 333
Wolf, Th., see Lang 42–44 (1992) 715
Wörtge, M., see Kemmer 42–44 (1992) 1345
Woychik, R.P., see Allison 42–44 (1992) 1088

Ximen, H. and P.E. Russell, Microfabrication of AFM tips using focused ion and electron beam techniques 42–44 (1992) 1526

Xu, Y., see Hu 42–44 (1992) 1394

Yackoboski, K., Y.H. Yeo, G.C. McGonical and D.J. Thomson, Molecular position at the liquid/solid interface measured by voltage-dependent imaging with the STM 42–44 (1992) 963
Yagubskii, E.B., see Magonov 42–44 (1992) 1009
Yamada, H., see Endo 42–44 (1992) 674
Yamada, H., S. Akamine and C.F. Quate, Imaging of organic molecular films with the atomic force microscope 42–44 (1992) 1044
Yamaguchi, K., see Ikeda 42–44 (1992) 738
Yamamoto, M., T. Fujisawa, T. Saburi, M. Hayakawa, M. Oka, T. Kurumizawa and K. Kusao, Scanning tunneling microscopy study of surface relief induced by the tetragonal-to-monoclinic transformation in a zirconia–yttria alloy 42–44 (1992) 1422
Yamano, A., see Kishi 42–44 (1992) 1067
Yaminsky, I.V., see Moiseev 42–44 (1992) 304
Yaminsky, I.V., see Moiseev 42–44 (1992) 1596
Yan, J., see Yang 42–44 (1992) 1031
Yang, D., see Qin 42–44 (1992) 630
Yang, J., see Bai 42–44 (1992) 1079
Yang, W.S., see Mou 42–44 (1992) 1025
Yang, W.S., Y. Li, J. Mou and J. Yan, Atomic charge superposition calculations of STM images of glycine and alanine adsorbed on graphite 42–44 (1992) 1031
Yang, X.L., see Jin 42–44 (1992) 1340
Yao, J.E., see Jin 42–44 (1992) 1340
Yao, T., see Uesugi 42–44 (1992) 1443
Yao, X., see Hu 42–44 (1992) 1394
Yau, S.-T., see Zheng 42–44 (1992) 1303
Ye, J.H., see Tian 42–44 (1992) 460
Ye, J.H., see Mao 42–44 (1992) 464
Yeo, Y.H., see Yackoboski 42–44 (1992) 963
Yi, L., see Sarid 42–44 (1992) 610
Yokotsuka, T., see Tanaka 42–44 (1992) 864
Yokotsuka, T., see Udagawa 42–44 (1992) 946
Yokoyama, K., see Masaki 42–44 (1992) 1148
Yokoyama, K., see Kado 42–44 (1992) 1659
Yuqiu, J., see García 42–44 (1992) 1250

Zajac, G.W., M.Q. Patterson, P.M. Burrell and C. Metaxas, Scanning probe microscopy studies of isotactic polypropylene 42–44 (1992) 998
Zapletal, M., see Fischer 42–44 (1992) 393
Zarriello, P.R., see Fainchtein 42–44 (1992) 1533
Zegenhagen, J. and P. Molinàs-Mata, Ge(111)/Ga: a two-dimensional, domain-type superlattice 42–44 (1992) 952
Zenhausern, F., see Jobin 42–44 (1992) 637
Zenhausern, F., see Emch 42–44 (1992) 1155
Zenhausern, F., M. Adrian, R. Emch, M. Taborelli, M. Jobin and P. Descouts, Scanning force microscopy and cryo-electron microscopy of tobacco mosaic virus as a test specimen 42–44 (1992) 1168
Zeppenfeld, P., C.P. Lutz and D.M. Eigler, Manipulating atoms and molecules with a scanning tunneling microscope 42–44 (1992) 128
Zettl, A., see Bando 42–44 (1992) 1627
Zhang, L., see Hu 42–44 (1992) 1394
Zheng, X., J. Hetrick, S.-T. Yau and M.H. Nayfeh, Parallel fabrication on chemically etched silicon using scanning tunneling microscopy 42–44 (1992) 1303
Zhu, C., see Bai 42–44 (1992) 1079
Zhu, C., see Ma 42–44 (1992) 1350
Zhuo, X.D., see Tian 42–44 (1992) 460
Zhuo, X.D., see Mao 42–44 (1992) 464
Zimin, A.V., see Bashkin 42–44 (1992) 977
Zimmermann-Edling, W., H.-G. Busmann, H. Sprang and I.V. Hertel, Imaging polycrystalline CVD diamond films on the micrometer and nanometer scale by STM and AFM 42–44 (1992) 1366
Zimmermann-Edling, W., R. Wiesendanger, F. Finger, K. Prasad and A. Shah, STM on doped and undoped hydrogenated amorphous and microcrystalline silicon films 42–44 (1992) 1398
Znamensky, D., see Moiseev 42–44 (1992) 304
Züger, O. and U. Dürig, STM investigation of gallium single-crystal surfaces close to bulk melting 42–44 (1992) 520

Ultramicroscopy 42–44 (1992) 1703–1717
North-Holland

ultramicroscopy

Subject index to volumes 42–44

Cryomicroscopy

Influence of a transport current on the Abrikosov flux lattice observed with a low-temperature scanning tunneling microscope, *Berthe, Hartmann and Heiden* 42–44 (1992) 696

Scanning force microscopy and cryo-electron microscopy of tobacco mosaic virus as a test specimen, *Zenhausern, Adrian, Emch, Taborelli, Jobin and Descouts* 42–44 (1992) 1168

Design and operation of a low-temperature scanning tunneling microscope suitable for operation below 1 K, *Davidsson, Olin, Persson and Pehrson* 42–44 (1992) 1470

Low-temperature ultra-high-vacuum scanning tunneling microscope, *Gaisch, Gimzewski, Reihl, Schlittler, Tschudy and Schneider* 42–44 (1992) 1621

Construction of a low-temperature STM with in situ sample cleavage, *Bando, Tokumoto, Zettl and Kajimura* 42–44 (1992) 1627

A low-temperature scanning tunneling microscope with in-situ sample cleaving, *Kent, Renner, Niedermann, Bosch and Fischer* 42–44 (1992) 1632

Low-temperature force microscope with all-fiber interferometer, *Albrecht, Grütter, Rugar and Smith* 42–44 (1992) 1638

Low-temperature compatible *I–V* converter, *Michel, Novotny and Dürig* 42–44 (1992) 1647

High resolution

Superresolution optical imaging with a high-brightness subwavelength light source, *Lieberman and Lewis* 42–44 (1992) 399

High-resolution lithography with a vacuum STM, *Marrian and Dobisz* 42–44 (1992) 1309

Device for high resolution positioning, *Carr and Thomson* 42–44 (1992) 1606

Historical

STM: 10 years after, *Rohrer* 42–44 (1992) 1

Image processing, 3D reconstruction

3D calculations at atomic scale of the electrostatic potential and field created by a teton tip, *Atlan, Gardet, Vu Thien Binh, García and Sáenz* 42–44 (1992) 154

Quantitative voltage-dependent STM image simulations for semiconductors, *Wilson, McInnes, Knall, Sutton and Pethica* 42–44 (1992) 801

Restoration of STM images distorted by time-dependent piezo driver after-effects, *Stoll* 42–44 (1992) 1585

Imaging

Simple model for the topographic imaging process in a scanning tunneling microscope, *Hietschold and Sbosny* 42–44 (1992) 200

Three-dimensional scattering and scanning tunneling microscope images, *Vigneron, Derycke, Lambin, Laloyaux, Lucas, Libioulle and Ronda* 42–44 (1992) 250

Superresolution optical imaging with a high-brightness subwavelength light source, *Lieberman and Lewis* 42–44 (1992) 399

Atomically resolved STM imaging of ion-bombarded WSe_2, *Schimmel, Fuchs, Sander and Lux-Steiner* 42–44 (1992) 683

Nanoscale photovoltaic imaging using the scanning tunneling microscope, *Glembocki, Snow, Marrian, Prokes and Katzer* 42–44 (1992) 764

Imaging of organic molecular films with the atomic force microscope, *Yamada, Akamine and Quate* 42–44 (1992) 1044

Barrier-height imaging of fatty acid Langmuir–Blodgett films, *Kishi, Matsuda, Kuroda, Takimoto, Yamano, Eguchi, Hatanaka and Nakagiri* 42–44 (1992) 1067

Tip-radius-induced artifacts in AFM images of protamine-complexed DNA fibers, *Allen, Hud, Balooch, Tench, Siekhaus and Balhorn* 42–44 (1992) 1095

Imaging isolated strands of DNA molecules by atomic force microscopy, *Thundat, Allison, Warmack and Ferrell* 42–44 (1992) 1101

Visualization of the algal polysaccharide carrageenan by scanning tunnelling microscopy, *Lee, Atkins and Miles* 42–44 (1992) 1107

Atomic force microscopy imaging of T4 bacteriophages on silicon substrates, *Kolbe, Ogletree and Salmeron* 42–44 (1992) 1113

Elsevier Science Publishers B.V.

Imaging of subunit complexes of thermophilic bacterium H^+-ATPase with scanning tunneling microscopy, *Masai, Shibata, Kagawa and Kondo* 42–44 (1992) 1194
Imaging of proteins by scanning tunnelling microscopy, *Wells, Stedman and Leatherbarrow* 42–44 (1992) 1200
Ultra-thin metal films for imaging low-conductivity surfaces by scanning tunneling microscopy, *MacRae* 42–44 (1992) 1337
Imaging polycrystalline CVD diamond films on the micrometer and nanometer scale by STM and AFM, *Zimmermann-Edling, Busmann, Sprang and Hertel* 42–44 (1992) 1366

Instrumentation

An AFM with integrated micro-fluorescence optics: design and performance, *Radmacher, Eberle and Gaub* 42–44 (1992) 968
Method for the experimental investigation of tip profiles for scanning tunneling microscopy, *Efremov, Louskinovich and Nikishin* 42–44 (1992) 1459
Force measurement with a piezoelectric cantilever in a scanning force microscope, *Tansock and Williams* 42–44 (1992) 1464
Design and operation of a low-temperature scanning tunneling microscope suitable for operation below 1 K, *Davidsson, Olin, Persson and Pehrson* 42–44 (1992) 1470
Micromachined silicon cantilevers and tips for bidirectional force microscopy, *Buser, Brugger and De Rooij* 42–44 (1992) 1476
Sharp, vertical-walled tips for SFM imaging of steep or soft samples, *Keller, Deputy, Alduino and Luo* 42–44 (1992) 1481
Imaging of low-load indentations into Si and GaAs by scanning tunneling microscopy, *Castell, Walls and Howie* 42–44 (1992) 1490
A stand-alone scanning force and friction microscope, *Hipp, Bielefeldt, Colchero, Marti and Mlynek* 42–44 (1992) 1498
Rocking-beam force-balance approach to atomic force microscopy, *Grigg, Russell and Griffith* 42–44 (1992) 1504
Preparation and characterization of tips for scanning tunneling microscopy of biological specimens, *Hacker, Hillebrand, Hartmann and Guckenberger* 42–44 (1992) 1514
A computer-controlled technique for electrochemical STM tip fabrication, *Fainchtein and Zarriello* 42–44 (1992) 1533
Atomic force microscope coupled with an optical microscope, *Kaneko, Oguchi, Hara, Matsuda, Okada, Ogawa and Nakamura* 42–44 (1992) 1542
Atomic force microscope featuring an integrated optical microscope, *Putman, Van der Werf, De Grooth, Van Hulst, Segerink and Greve* 42–44 (1992) 1549
Scanning tunneling microscope coaxially arranged with an optical microscope, *Suzuki, Fujii, Onuki, Miyashita and Matsushiro* 42–44 (1992) 1553
STM combined with SEM without SEM capability limitations, *Golubok and Timofeev* 42–44 (1992) 1558
Integration of an STM in an SEM, *Troyon, Lei and Bourhettar* 42–44 (1992) 1564
A compact STM compatible with conventional SEM, *Nakamoto and Uozumi* 42–44 (1992) 1569
Thermofield tip formation in UHV/STM combined field emission microscope, *Golubok, Masalov and Tarasov* 42–44 (1992) 1574
Scan control and data acquisition for bidirectional force microscopy, *Brodbeck, Howald, Lüthi, Meyer and Overney* 42–44 (1992) 1580
Restoration of STM images distorted by time-dependent piezo driver after effects, *Stoll* 42–44 (1992) 1585
Scanning tunneling microscope with large scan range, *Adamchuk, Ermakov and Fedoseenko* 42–44 (1992) 1602
Device for high resolution positioning, *Carr and Thomson* 42–44 (1992) 1606
Analysis of vibration-isolating systems for scanning tunneling microscopes, *Schmid and Varga* 42–44 (1992) 1610
Low-temperature ultra-high-vacuum scanning tunneling microscope, *Gaisch, Gimzewski, Reihl, Schlittler, Tschudy and Schneider* 42–44 (1992) 1621
Construction of a low-temperature STM with in situ sample cleavage, *Bando, Tokumoto, Zettl and Kajimura* 42–44 (1992) 1627
A low-temperature scanning tunneling microscope with in-situ sample cleaving, *Kent, Renner, Niedermann, Bosch and Fischer* 42–44 (1992) 1632
Low-temperature force microscope with all-fiber interferometer, *Albrecht, Grütter, Rugar and Smith* 42–44 (1992) 1638
Low-temperature compatible *I–V* converter, *Michel, Novotny and Dürig* 42–44 (1992) 1647
In situ testing and calibration of tube piezoelectric scanners, *Chen* 42–44 (1992) 1653
A novel ZnO whisker tip for atomic force microscopy, *Kado, Yokoyama and Tohda* 42–44 (1992) 1659
Improved wide-range bimorph scanners, *Lányi and Ožvold* 42–44 (1992) 1664

Proposal for a new optical device to sense AFM forces, *Diaspro and Aguilar* 42–44 (1992) 1668

Methods and techniques

Atomic force microscope detection system using an optical fiber heterodyne interferometer free from external disturbances, *Oshio, Nakatani, Sakai, Suzuki and Kataoka* 42–44 (1992) 310

Magnetic-force-sensing STM: novel application of STM for simultaneous measurement of topography and field gradient of magnetic recording heads, *Watanuki, Sai and Sueoka* 42–44 (1992) 315

STM control of non-integer charge on a metal particle inferred from Coulomb staircase, *Rong, Chang, Cohen and Wolf* 42–44 (1992) 333

Optical absorption spectroscopy by scanning force microscopy, *Nonnenmacher and Wickramasinghe* 42–44 (1992) 351

High-frequency surface-displacement detection using an STM as a mixer–demodulator, *Strozewski, McBride and Wetsel, Jr.* 42–44 (1992) 388

The concept of a coaxial tip as a probe for scanning near field optical microscopy and steps towards a realisation, *Fischer and Zapletal* 42–44 (1992) 393

A new method of STM tip fabrication for in-situ electrochemical studies, *Mao, Ye, Zhuo, Mu, Fen and Tian* 42–44 (1992) 464

Field emission resonances studied with $dI/ds(V)$ and $dI/dV(V)$ curves, *Scandella and Güntherodt* 42–44 (1992) 546

In-situ observation of 1T-$TaS_{2-x}Se_x$ charge density waves, *Sakamaki, Fujishima and Onuki* 42–44 (1992) 599

Scanning tunneling microscopy of surface properties of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ high-T_c thin films prepared by different methods, *Burger, Bauer, Veith and Saemann-Ischenko* 42–44 (1992) 721

Schottky-barrier formation in conducting polymers, *Hoogenraad, Hogervorst, Scholte and Tuinstra* 42–44 (1992) 1004

Scanning tunneling microscopy of DNA: a novel technique using radiolabeled DNA to evaluate chemically mediated attachment of DNA to surfaces, *Allison, Warmack, Bottomley, Thundat, Brown, Woychik, Schrick, Jacobson and Ferrell* 42–44 (1992) 1088

Morphological difference between fibronectin sprayed on mica and on PMMA, *Emch, Zenhausern, Jobin, Taborelli and Descouts* 42–44 (1992) 1155

Electrodeposition procedure of *E. coli* RNA polymerase onto gold and deposition of *E. coli* RNA polymerase onto mica for observation with scanning force microscopy, *Keller, Keller, Bear, Vesenka and Bustamante* 42–44 (1992) 1173

Deposition and imaging of metal-coated biomolecules with the STM, *García, Yuqiu, Schabtach and Bustamante* 42–44 (1992) 1250

Reduction by ion-milling of surface corrugation of thin amorphous carbon films for biological specimen substrates in scanning tunneling microscopy, *Hillebrand, Scheybani, Wiegräbe and Guckenberger* 42–44 (1992) 1255

Atomic rearrangement of the SiO_2-stripped Si(001) surface by thermal annealing, *Niwa, Watanabe, Sumita and Iwasaki* 42–44 (1992) 1360

The atomic force microscope used as a powerful tool for machining surfaces, *Jung, Moser, Hug, Brodbeck, Hofer, Hidber and Schwarz* 42–44 (1992) 1446

Tips for scanning tunneling microscopy produced by electron-beam-induced deposition, *Hübner, Koops, Pagnia, Sotnik, Urban and Weber* 42–44 (1992) 1519

Microfabrication of AFM tips using focused ion and electron beam techniques, *Ximen and Russell* 42–44 (1992) 1526

A computer-controlled technique for electrochemical STM tip fabrication, *Fainchtein and Zarriello* 42–44 (1992) 1533

Probe characterization for scanning probe metrology, *Grigg, Russell, Griffith, Vasile and Fitzgerald* 42–44 (1992) 1616

New developments

Force microscopy, *Binnig* 42–44 (1992) 7

An evaluation of the use of the atomic force microscope for studies in nanomechanics, *Cohen* 42–44 (1992) 66

Manipulating atoms and molecules with a scanning tunneling microscope, *Zeppenfeld, Lutz and Eigler* 42–44 (1992) 128

Large enhancement of transmission probability in non-equilibrium time evolution quantum mechanics, *Casero, Serena and García* 42–44 (1992) 134

Generation and imaging of domains with the magnetic force microscope, *Göddenhenrich, Hartmann and Heiden* 42–44 (1992) 256

Large-scale charge storage by scanning capacitance microscopy, *Barrett and Quate* 42–44 (1992) 262

Recent advances in spin-polarized scanning tunneling microscopy, *Wiesen-*

danger, Shvets, Bürgler, Tarrach, Güntherodt and Coey 42–44 (1992) 338
Enhanced photon emission from the STM: a general property of metal surfaces, *Berndt, Gimzewski and Schlittler* 42–44 (1992) 355
Scanning tunneling microscopy at microwave frequencies, *Seifert, Gerner, Stachel and Dransfeld* 42–44 (1992) 379
Progress in photon scanning tunneling microscopy, *Ferrell, Sharp and Warmack* 42–44 (1992) 408
Evanescent-field optical microscopy: effects of polarization, tip shape and radiative waves, *Van Hulst, Segerink, Achten and Bölger* 42–44 (1992) 416
A new electrochemical scanning tunneling microscope, *Tian, Zhuo, Mu, Ye, Fen, Mao, Bai and Dai* 42–44 (1992) 460
Fluorescent micropattern formation on ionic conductive polymer films by a scanning electrochemical microscope, *Sugimura, Uchida, Shimo, Kitamura and Masuhara* 42–44 (1992) 468
Field emission resonances studied with $dI/ds(V)$ and $dI/dV(V)$ curves, *Scandella and Güntherodt* 42–44 (1992) 546
In-situ observation of 1T-$TaS_{2-x}Se_x$ charge density waves, *Sakamaki, Fujishima and Onuki* 42–44 (1992) 599
A new metastable epitaxial silicide: $FeSi_2$/Si(111), *Vazquez de Parga, De la Figuera, Ocal and Miranda* 42–44 (1992) 845
Domain walls on graphite mimic DNA, *Heckl and Binnig* 42–44 (1992) 1073
In situ investigations of single living cells infected by viruses, *Häberle, Hörber, Ohnesorge, Smith and Binnig* 42–44 (1992) 1161
AFM and STM activities at Advanced Technologies Center, *Moiseev, Panov, Savinov, Vasil'ev and Yaminsky* 42–44 (1992) 1596

Radiation damage and contamination

Scanning tunneling microscopy of the damage induced by ion bombardment on a graphite surface, *Coratger, Chahboun, Sivel, Ajustron and Beauvillain* 42–44 (1992) 653

Scanning electron microscopy

Four-probe resistance measurements of nickel wires written with a scanning tunneling microscope/scanning electron microscope system, *Ehrichs, Smith and De Lozanne* 42–44 (1992) 1438
STM combined with SEM without SEM capability limitations, *Golubok and Timofeev* 42–44 (1992) 1558
Integration of an STM in an SEM, *Troyon, Lei and Bourhettar* 42–44 (1992) 1564
A compact STM compatible with conventional SEM, *Nakamoto and Uozumi* 42–44 (1992) 1569

Scanning probe microscopy

Force microscopy, *Binnig* 42–44 (1992) 7
Atomic-scale tip–sample interactions and contact phenomena, *Ciraci* 42–44 (1992) 16
Theoretical modelling of AFM for bimetallic tip–substrate interactions, *Bozzolo and Ferrante* 42–44 (1992) 55
Intermolecular and surface forces in noncontact scanning force microscopy, *Hartmann* 42–44 (1992) 59
An evaluation of the use of the atomic force microscope for studies in nanomechanics, *Cohen* 42–44 (1992) 66
Interaction forces between a tungsten tip and methylated SiO_2 surfaces studied with scanning force microscopy, *Olsson, Tengvall, Wigren and Erlandsson* 42–44 (1992) 73
On the electron and metallic ion emission from nanotips fabricated by field-surface-melting technique: experiments on W and Au tips, *Vu Thien Binh and García* 42–44 (1992) 80
Influence of STM tip on electronic structure: Si(100) dimers, *Huang and Allen* 42–44 (1992) 97
Adhesive energy, force and barrier height between simple metal surfaces, *Ciraci, Tekman, Gökçedag, Batra and Baratoff* 42–44 (1992) 163
On the transition from tunneling regime to point-contact: graphite, *Agraït, Rodrigo and Vieira* 42–44 (1992) 177
Micro-tribological evaluations of a polymer surface by atomic force microscopes, *Hamada and Kaneko* 42–44 (1992) 184
Generation and imaging of domains with the magnetic force microscope, *Göddenhenrich, Hartmann and Heiden* 42–44 (1992) 256
Large-scale charge storage by scanning capacitance microscopy, *Barrett and Quate* 42–44 (1992) 262
Surface investigations with a Kelvin probe force microscope, *Nonnenmacher, O'Boyle and Wickramasinghe* 42–44 (1992) 268
Structure and dynamics of solid surfaces observed by atomic force microscopy, *Meyer, Howald, Overney, Brodbeck, Lüthi, Haefke, Frommer and Güntherodt* 42–44 (1992) 274
Investigation of the (001) cleavage plane of potassium bromide with an atomic force microscope at 4.2 K in ultra-high vacuum, *Giessibl and Binnig* 42–44 (1992) 281

Atomic surface and lattice structures of AgBr thin films, *Haefke, Meyer, Howald, Schwarz, Gerth and Krohn* 42–44 (1992) 290
Modelling of impurity dopant density measurement in semiconductors by scanning force microscopy, *Huang, Slinkman and Williams* 42–44 (1992) 298
Atomic force and scanning tunneling microscopy of comb-like cholesteric liquid crystalline polymer LB films, *Moiseev, Panov, Savinov, Yaminsky, Todua and Znamensky* 42–44 (1992) 304
Atomic force microscope detection system using an optical fiber heterodyne interferometer free from external disturbances, *Oshio, Nakatani, Sakai, Suzuki and Kataoka* 42–44 (1992) 310
High-frequency circuit characterization using the AFM as a reactive near-field probe, *Bridges and Thomson* 42–44 (1992) 321
Scanning force microscopy of diatom shells, *Linder, Colchero, Apell, Marti and Mlynek* 42–44 (1992) 329
Mechanical and thermal effects of laser irradiation on force microscope cantilevers, *Marti, Ruf, Hipp, Bielefeldt, Colchero and Mlynek* 42–44 (1992) 345
Optical absorption spectroscopy by scanning force microscopy, *Nonnenmacher and Wickramasinghe* 42–44 (1992) 351
Laser thermal effects on atomic force microscope cantilevers, *Allegrini, Ascoli, Baschieri, Dinelli, Frediani, Lio and Mariani* 42–44 (1992) 371
Evanescent-field optical microscopy: effects of polarization, tip shape and radiative waves, *Van Hulst, Segerink, Achten and Bölger* 42–44 (1992) 416
Self-consistent study of the electromagnetic coupling between a thin probe tip and a surface: implication for atomic-force and near-field microscopy, *Bouju, Girard and Labani* 42–44 (1992) 430
AFM study of the structure of underpotentially deposited Ag and Hg on Au(111), *Chen and Gewirth* 42–44 (1992) 437
Fluorescent micropattern formation on ionic conductive polymer films by a scanning electrochemical microscope, *Sugimura, Uchida, Shimo, Kitamura and Masuhara* 42–44 (1992) 468
Atomic force and scanning tunneling microscopy observations of whisker crystals and surface modification on evaporated gold films, *Oden, Nagahara, Graham, Pan, Tao, Li, Thundat, DeRose and Lindsay* 42–44 (1992) 580
Buckyball–substrate interactions probed by STM and AFM, *Sarid, Chen, Howells, Gallagher, Yi, Lichtenberger, Nebesney, Ray, Huffman and Lamb* 42–44 (1992) 610
Atomic-scale imaging of anisotropic organic conductors by scanning probe techniques (STM/AFM), *Bar, Magonov, Cantow, Gmeiner and Schwoerer* 42–44 (1992) 644
Magnetic force microscopy investigation of superconductors: first results, *Volodin and Marchevsky* 42–44 (1992) 757
STM studies of Si(100)-2 × 1 oxidation: defect chemistry and Si ejection, *Avouris and Cahill* 42–44 (1992) 838
Observation of step formation on vicinal Si(111) surfaces by atomic force microscopy, *Suzuki, Homma, Kudoh and Kaneko* 42–44 (1992) 940
An AFM with integrated micro-fluorescence optics: design and performance, *Radmacher, Eberle and Gaub* 42–44 (1992) 968
Surface manipulation on layered organic crystals by scanning force microscopy, *Bosbach and Rammensee* 42–44 (1992) 973
Molecular surface structure of organic crystals observed by atomic force microscopy, *Overney, Howald, Frommer, Meyer, Brodbeck and Güntherodt* 42–44 (1992) 983
Investigating poly(1-butene) films by SFM/STM, *Eng, Fuchs, Jandt and Petermann* 42–44 (1992) 989
Scanning probe microscopy studies of isotactic polypropylene, *Zajac, Patterson, Burrell and Metaxas* 42–44 (1992) 998
Surface analysis of organic superconductors by scanning probe techniques: STM and AFM, *Magonov, Bar, Keller, Yagubskii, Laukhina and Cantow* 42–44 (1992) 1009
Imaging of organic molecular films with the atomic force microscope, *Yamada, Akamine and Quate* 42–44 (1992) 1044
Analysis of adenine and thymine adsorbed on graphite by scanning tunneling and atomic force microscopy, *Allen, Balooch, Subbiah, Tench, Balhorn and Siekhaus* 42–44 (1992) 1049
Ordering of didodecylbenzene on graphite: a combined SFM/STM study, *Eng, Fuchs, Buchholz and Rabe* 42–44 (1992) 1059
Domain walls on graphite mimic DNA, *Heckl and Binnig* 42–44 (1992) 1073
Tip-radius-induced artifacts in AFM images of protamine-complexed DNA fibers, *Allen, Hud, Balooch, Tench, Siekhaus and Balhorn* 42–44 (1992) 1095
Imaging isolated strands of DNA molecules by atomic force micros-

copy, *Thundat, Allison, Warmack and Ferrell* 42–44 (1992) 1101
Atomic force microscopy imaging of T4 bacteriophages on silicon substrates, *Kolbe, Ogletree and Salmeron* 42–44 (1992) 1113
Ambient-pressure scanning probe microscopy of 2D regular protein arrays, *Schabert, Hefti, Goldie, Stemmer, Engel, Meyer, Overney and Güntherodt* 42–44 (1992) 1118
Streptavidin binding observed with an atomic force microscope, *Weisenhorn, Schmitt, Knoll and Hansma* 42–44 (1992) 1125
Na,K-ATPase in crystalline form investigated by scanning force microscopy, *Apell, Colchero, Linder, Marti and Mlynek* 42–44 (1992) 1133
Surface structure of polymers and their model compounds observed by atomic force microscopy, *Stocker, Bickmann, Magonov, Cantow, Lotz, Wittmann and Möller* 42–44 (1992) 1141
Molecular-resolution images of aspirin crystals with atomic force microscopy, *Masaki, Machida, Kado, Yokoyama and Tohda* 42–44 (1992) 1148
Electrodeposition procedure of *E. coli* RNA polymerase onto gold and deposition of *E. coli* RNA polymerase onto mica for observation with scanning force microscopy, *Keller, Keller, Bear, Vesenka and Bustamante* 42–44 (1992) 1173
Investigation of dialysis membranes with atomic force microscopy, *Kasper, Herrmann, Dietz, Hansma, Inacker, Lehmann and Rintelen* 42–44 (1992) 1181
Is it possible to observe biological macromolecules by electrostatic force microscopy?, *Bergasa and Sáenz* 42–44 (1992) 1189
AFM and STM studies of the interaction of antibodies with the S-layer sheath of the archaeobacterium *Methanospirillum hungatei*, *Mulhern, Blackford, Jericho, Southam and Beveridge* 42–44 (1992) 1214
Scanning force microscopy studies of the S-layers from *Bacillus coagulans* E38-66, *Bacillus sphaericus* CCM2177 and of an antibody binding process, *Ohnesorge, Heckl, Häberle, Pum, Sara, Schindler, Schilcher, Kiener, Smith, Sleytr and Binnig* 42–44 (1992) 1236
Substrate preparation for reliable imaging of DNA molecules with the scanning force microscope, *Vesenka, Guthold, Tang, Keller, Delaine and Bustamante* 42–44 (1992) 1243
Molecular structures of lipid monolayers on ITO glass and on graphite imaged by an STM, *Göbel, Hörber, Gerber, Leitner and Hänsch* 42–44 (1992) 1260
Applications of magnetic force microscopy in magnetic storage device manufacturing, *Persch and Strecker* 42–44 (1992) 1269
Topographic study of thin gold films grown on SiO_2, *Stockman, Vloeberghs, Heyvaert, Van Haesendonck and Bruynseraede* 42–44 (1992) 1317
Imaging polycrystalline CVD diamond films on the micrometer and nanometer scale by STM and AFM, *Zimmermann-Edling, Busmann, Sprang and Hertel* 42–44 (1992) 1366
AFM/STM investigation of polycrystalline Si surface, *Sugawara, Fukano, Kamihara, Morita, Nakano, Ida and Kaneko* 42–44 (1992) 1372
AFM images of dissolution and growth on a calcite crystal, *Hillner, Manne, Gratz and Hansma* 42–44 (1992) 1387
Atomic force microscopy of ultrafine clay particles, *Garnaes, Lindgreen, Hansen, Gould and Hansma* 42–44 (1992) 1428
The atomic force microscope used as a powerful tool for machining surfaces, *Jung, Moser, Hug, Brodbeck, Hofer, Hidber and Schwarz* 42–44 (1992) 1446
Force measurement with a piezoelectric cantilever in a scanning force microscope, *Tansock and Williams* 42–44 (1992) 1464
Micromachined silicon cantilevers and tips for bidirectional force microscopy, *Buser, Brugger and De Rooij* 42–44 (1992) 1476
A stand-alone scanning force and friction microscope, *Hipp, Bielefeldt, Colchero, Marti and Mlynek* 42–44 (1992) 1498
Rocking-beam force-balance approach to atomic force microscopy, *Grigg, Russell and Griffith* 42–44 (1992) 1504
A theoretical comparison between interferometric and optical beam deflection technique for the measurement of cantilever displacement in AFM, *Putman, De Grooth, Van Hulst and Greve* 42–44 (1992) 1509
Microfabrication of AFM tips using focused ion and electron beam techniques, *Ximen and Russell* 42–44 (1992) 1526
Atomic force microscope coupled with an optical microscope, *Kaneko, Oguchi, Hara, Matsuda, Okada, Ogawa and Nakamura* 42–44 (1992) 1542
Atomic force microscope featuring an integrated optical microscope, *Putman, Van der Werf, De Grooth, Van Hulst, Segerink and Greve* 42–44 (1992) 1549

Scan control and data acquisition for bidirectional force microscopy, *Brodbeck, Howald, Lüthi, Meyer and Overney* 42–44 (1992) 1580
Probe characterization for scanning probe metrology, *Grigg, Russell, Griffith, Vasile and Fitzgerald* 42–44 (1992) 1616
Low-temperature force microscope with all-fiber interferometer, *Albrecht, Grütter, Rugar and Smith* 42–44 (1992) 1638
A novel ZnO whisker tip for atomic force microscopy, *Kado, Yokoyama and Tohda* 42–44 (1992) 1659
Proposal for a new optical device to sense AFM forces, *Diaspro and Aguilar* 42–44 (1992) 1668

Scanning tunneling microscopy

STM: 10 years after, *Rohrer* 42–44 (1992) 1
On the observability of Coulomb blockade and single-electron tunneling, *Devoret, Esteve, Grabert, Ingold, Pothier and Urbina* 42–44 (1992) 22
Edge melting of the Ge(111) surface studied by scanning tunneling microscopy, *Feenstra, Slavin, Held and Lutz* 42–44 (1992) 33
Molecules at interfaces: STM in materials and life sciences, *Rabe* 42–44 (1992) 41
On the electron and metallic ion emission from nanotips fabricated by field-surface-melting technique: experiments on W and Au tips, *Vu Thien Binh and García* 42–44 (1992) 80
Influence of STM tip on electronic structure: Si(100) dimers, *Huang and Allen* 42–44 (1992) 97
First-principles calculation of STM images of the Si(111)$\sqrt{3} \times \sqrt{3}$-Ag surface, *Watanabe, Aono and Tsukada* 42–44 (1992) 105
First-principles simulation of STM/STS of Si(100) reconstructed surfaces, *Ishiki, Kageshima, Kobayashi and Tsukada* 42–44 (1992) 109
Are electronic interference effects important for STM imaging of substrates and adsorbates? A theoretical analysis, *Sautet and Joachim* 42–44 (1992) 115
Theoretical framework for the interpretation of STM images of adsorbates, *Kenkre, Biscarini and Bustamante* 42–44 (1992) 122
Manipulating atoms and molecules with a scanning tunneling microscope, *Zeppenfeld, Lutz and Eigler* 42–44 (1992) 128
Investigation of the tunneling current for adsorbates on a surface, *Sacks and Noguera* 42–44 (1992) 140
In-situ characterization of tip electronic structure in scanning tunneling microscopy, *Chen* 42–44 (1992) 147
The whip motion of ultra-thin tunneling tips, *Hanrieder, Mock and Meixner* 42–44 (1992) 169
On the transition from tunneling regime to point-contact: graphite, *Agraït, Rodrigo and Vieira* 42–44 (1992) 177
Simple model for the topographic imaging process in a scanning tunneling microscope, *Hietschold and Sbosny* 42–44 (1992) 200
Low-temperature luminescence due to minority carrier injection from the scanning tunneling microscope tip, *Montelius, Pistol and Samuelson* 42–44 (1992) 210
On the dynamics of statistical fluctuations in the electron tunneling process and the problems of STM resolution, *Tarasov* 42–44 (1992) 223
Potential barrier for the metal–vacuum–metal tunneling electrons, *Kiejna* 42–44 (1992) 231
Tunneling through a deformed potential, *Mizutani, Shigeno, Kajimura and Ono* 42–44 (1992) 236
Theory of photovoltaic effect in STM: application to graphite, *Levy Yeyati and Flores* 42–44 (1992) 242
Three-dimensional scattering and scanning tunneling microscope images, *Vigneron, Derycke, Lambin, Laloyaux, Lucas, Libioulle and Ronda* 42–44 (1992) 250
Magnetic-force-sensing STM: novel application of STM for simultaneous measurement of topography and field gradient of magnetic recording heads, *Watanuki, Sai and Sueoka* 42–44 (1992) 315
STM control of non-integer charge on a metal particle inferred from Coulomb staircase, *Rong, Chang, Cohen and Wolf* 42–44 (1992) 333
Recent advances in spin-polarized scanning tunneling microscopy, *Wiesendanger, Shvets, Bürgler, Tarrach, Güntherodt and Coey* 42–44 (1992) 338
Enhanced photon emission from the STM: a general property of metal surfaces, *Berndt, Gimzewski and Schlittler* 42–44 (1992) 355
Microscopic theory of light emission from the scanning tunneling microscope, *Tsukada, Schimizu and Kobayashi* 42–44 (1992) 360
Observation of local photoemission using a scanning tunneling microscope, *Gimzewski, Berndt and Schlittler* 42–44 (1992) 366
Scanning tunneling microscopy at microwave frequencies, *Seifert, Gerner, Stachel and Dransfeld* 42–44 (1992) 379
High-frequency surface-displacement detection using an STM as a mixer–demodulator, *Strozewski, McBride and Wetsel, Jr.* 42–44 (1992) 388

Progress in photon scanning tunneling microscopy, *Ferrell, Sharp and Warmack* 42–44 (1992) 408
Resolution of the photon scanning tunneling microscope: influence of physical parameters, *De Fornel, Salomon, Adam, Bourillot, Goudonnet and Nevière* 42–44 (1992) 422
In situ scanning tunneling microscopy of underpotential deposition in aqueous solution. III. Silver adlayers on Au(111), *Hachiya and Itaya* 42–44 (1992) 445
STM observations of two-dimensional condensed layers on solid electrodes, *Srinivasan, Murphy and Pattabiraman* 42–44 (1992) 453
A new electrochemical scanning tunneling microscope, *Tian, Zhuo, Mu, Ye, Fen, Mao, Bai and Dai* 42–44 (1992) 460
A new method of STM tip fabrication for in-situ electrochemical studies, *Mao, Ye, Zhuo, Mu, Fen and Tian* 42–44 (1992) 464
A comparative STM study of the growth of thin Au films on clean and oxygen-precovered Ru(0001) surfaces, *Schröder, Günther, Hwang and Behm* 42–44 (1992) 475
A scanning tunneling microscopy study of the interaction of S with the Cu(111) surface, *Ruan, Stensgaard, Besenbacher and Lægsgaard* 42–44 (1992) 498
Oxygen-induced restructuring of Ni(110) studied by scanning tunneling microscopy, *Eierdal, Besenbacher, Lægsgaard and Stensgaard* 42–44 (1992) 505
On the shape of monatomic steps of copper surface in STM images, *Thibaudau and Cousty* 42–44 (1992) 511
Step–step interactions on copper vicinal surfaces, *Rousset, Gauthier, Siboulet, Girard, De Cheveigné, Huerta-Garnica, Sacks, Belin and Klein* 42–44 (1992) 515
STM investigation of gallium single-crystal surfaces close to bulk melting, *Züger and Dürig* 42–44 (1992) 520
Tunneling characteristics at atomic resolution on close-packed metal surfaces, *Berndt, Gimzewski and Schlittler* 42–44 (1992) 528
Distance dependence and corrugation in barrier-height measurements on metal surfaces, *Schuster, Barth, Wintterlin, Behm and Ertl* 42–44 (1992) 533
Oxygen adsorption on Ag(110) studied by the FI-STM, *Hashizume, Taniguchi, Motai, Lu, Tanaka and Sakurai* 42–44 (1992) 553
Nucleation and growth of Fe on Cu(111) in the monolayer range, *Brodde and Neddermeyer* 42–44 (1992) 556
Scanning tunneling microscopy of oxidized titanium surfaces in air, *Olin, Aronsson, Kasemo, Lausmaa and Rodahl* 42–44 (1992) 567
Scanning tunneling microscopy and X-ray reflectometry of Pt and Pd thin films prepared by DC sputtering, *Enea, Rafai and Naudon* 42–44 (1992) 572
Atomic force and scanning tunneling microscopy observations of whisker crystals and surface modification on evaporated gold films, *Oden, Nagahara, Graham, Pan, Tao, Li, Thundat, DeRose and Lindsay* 42–44 (1992) 580
Scanning tunneling microscopy of nanostructured palladium, *Wang, Fuchs, Laschinski, Sander, Birringer and Gleiter* 42–44 (1992) 594
Buckyball–substrate interactions probed by STM and AFM, *Sarid, Chen, Howells, Gallagher, Yi, Lichtenberger, Nebesney, Ray, Huffman and Lamb* 42–44 (1992) 610
Scanning tunneling microscopy observation of the initial stages of growth of carbon films grown by pulsed laser vaporization of graphite, *Vazquez, Martin-Gago, Comin and Ferrer* 42–44 (1992) 616
Scanning tunneling microscopy study of ternary alkali-metal graphite intercalation compounds, *Lang, Thommen-Geiser and Wiesendanger* 42–44 (1992) 624
Scanning tunneling microscopy of single-layer MoS_2 in water and butanol, *Qin, Yang, Frindt and Irwin* 42–44 (1992) 630
Atomic-scale imaging of anisotropic organic conductors by scanning probe techniques (STM/AFM), *Bar, Magonov, Cantow, Gmeiner and Schwoerer* 42–44 (1992) 644
Scanning tunneling microscopy of the damage induced by ion bombardment on a graphite surface, *Coratger, Chahboun, Sivel, Ajustron and Beauvillain* 42–44 (1992) 653
STM study of $CuCl_2$ intercalated in graphite, *Pappas, Hunt and Ulloa* 42–44 (1992) 679
Atomically resolved STM imaging of ion-bombarded WSe_2, *Schimmel, Fuchs, Sander and Lux-Steiner* 42–44 (1992) 683
Influence of a transport current on the Abrikosov flux lattice observed with a low-temperature scanning tunneling microscope, *Berthe, Hartmann and Heiden* 42–44 (1992) 696
Scanning tunneling spectroscopy of the Abrikosov flux lattice from the clean toward the dirty limit, *Renner, Kent, Niedermann, Fischer and Lévy* 42–44 (1992) 699
The effect of sputter deposition conditions on growth mechanism and microstructure of $YBa_2Cu_3O_{7-x}$ thin

films on $NdGaO_3$ substrates studied by scanning tunneling microscopy, *Hawley, Raistrick, Houlton, Garzon and Piza* 42–44 (1992) 705

Atomic resolution of single-crystalline $Y_2Ba_4Cu_{6+n}O_{14+n}$ ($n = 0, 1, 2$) and laser-ablated thin film $Y_1Ba_2Cu_3O_7$ HT$_c$SC by STM, *Lang, Ramseyer, Brodbeck, Frey, Karpinski, Kaldis and Wolf* 42–44 (1992) 715

Scanning tunneling microscopy of surface properties of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ high-T_c thin films prepared by different methods, *Burger, Bauer, Veith and Saemann-Ischenko* 42–44 (1992) 721

Studies of the surface structure of $YBa_2Cu_3O_7$ thin films using STM, *Maggio-Aprile, Kent, Niedermann, Renner, Antognazza, Miéville, Brunner, Triscone and Fischer* 42–44 (1992) 728

Scanning tunneling microscopy of laser-deposited YBCO thin films, *Olin, Brorsson, Davidsson, Ivanov, Nilsson and Claeson* 42–44 (1992) 734

Scanning tunneling microscopy of Bi–O surfaces of Bi2212 superconductors, *Ikeda, Takamuku, Yamaguchi, Itti, Koshizuka and Tanaka* 42–44 (1992) 738

STM study of transition-metal oxide, *Oshio, Sakai, Moriya and Ehara* 42–44 (1992) 744

A STM/STS and XPS study of oxidized metal powders, *Kwetkus and Sattler* 42–44 (1992) 749

Nanoscale photovoltaic imaging using the scanning tunneling microscope, *Glembocki, Snow, Marrian, Prokes and Katzer* 42–44 (1992) 764

Scanning tunneling microscopy of GaAs-on-InP heteroepitaxial growth, *Ohkouchi and Tanaka* 42–44 (1992) 771

Dislocation reaction on p-doped GaAs (011) observed by scanning tunnelling microscopy, *Cox, Ebert, Poppe, Simon and Urban* 42–44 (1992) 776

Interfacial dislocations detected by scanning tunneling microscopy, *Stalder, Sirringhaus, Onda and Von Känel* 42–44 (1992) 781

Measurement of space charge adjacent to oxide grain boundaries by tunneling spectroscopy, *Bonnell and Solomon* 42–44 (1992) 788

Dimer switching on Si(100), *Gryko and Allen* 42–44 (1992) 793

Quantitative voltage-dependent STM image simulations for semiconductors, *Wilson, McInnes, Knall, Sutton and Pethica* 42–44 (1992) 801

Dynamic polarization effects and tunneling time, *Guéret* 42–44 (1992) 809

Real-time observation of step motion on Si(111) surface by scanning tunneling microscopy, *Tokumoto, Miki, Morita, Sato, Iwatsuki, Suzuki and Fukuda* 42–44 (1992) 816

Real-time STM investigation of the initial stages of oxygen interaction with Si(100)2 × 1, *Kliese, Röttger, Badt and Neddermeyer* 42–44 (1992) 824

Real-time observation of the Si(111): (7 × 7)–(1 × 1) phase transition by scanning tunneling microscopy, *Miki, Morita, Tokumoto, Sato, Iwatsuki, Suzuki and Fukuda* 42–44 (1992) 851

Observation of indium on GaAs(110) surfaces by scanning tunneling microscopy, *Suzuki and Fukuda* 42–44 (1992) 858

A STM study of the InP (110) surface, *Ebert, Cox, Poppe and Urban* 42–44 (1992) 871

Local tunneling spectroscopy of n-PbTe surface, *Davydov, Golubok and Rykov* 42–44 (1992) 878

STM study of geometric and electronic structures of Ge dimers on Si(001), *Iwawaki, Kato, Tomitori and Nishikawa* 42–44 (1992) 895

STM study of initial stage of Ge epitaxy on Si(001), *Iwawaki, Tomitori and Nishikawa* 42–44 (1992) 902

FI-STM investigation of the Si(111)2 × 1 cleaved surface, *Mera, Hashizume, Maeda and Sakurai* 42–44 (1992) 915

Scanning tunneling microscopy of 1%-HF-treated Si(111) surfaces, *Morita, Miki and Tokumoto* 42–44 (1992) 922

The initial stages of the oxidation of Si(100)2 × 1 studied by STM, *Udagawa, Umetani, Tanaka, Itoh, Uchiyama, Watanabe, Yokotsuka and Sumita* 42–44 (1992) 946

An investigation of the early stages of native oxide growth on chemically etched and sulfur-treated GaAs(100) and InP(100) surfaces by scanning tunnelling microscopy, *Moriarty and Hughes* 42–44 (1992) 956

Molecular position at the liquid/solid interface measured by voltage-dependent imaging with the STM, *Yackoboski, Yeo, McGonical and Thomson* 42–44 (1992) 963

Surface modification of organic films deposited on graphite by the scanning tunneling microscope, *Bashkin, Bespalov, Emelyanov, Inkin, Portnov, Zimin, Kharkevich and Menshikov* 42–44 (1992) 977

Investigating poly(1-butene) films by

SFM/STM, *Eng, Fuchs, Jandt and Petermann* 42–44 (1992) 989
Surface analysis of organic superconductors by scanning probe techniques: STM and AFM, *Magonov, Bar, Keller, Yagubskii, Laukhina and Cantow* 42–44 (1992) 1009
Bilipid layer molecular organization in P_β phase studied by scanning tunneling microscopy, *Obcemea and Vidic* 42–44 (1992) 1019
Scanning tunneling microscopy studies of alanine and phenylalanine molecules adsorbed on graphite, *Mou and Yang* 42–44 (1992) 1025
Atomic charge superposition calculations of STM images of glycine and alanine adsorbed on graphite, *Yang, Li, Mou and Yan* 42–44 (1992) 1031
STM of conducting polymer thin films formed by electropolymerization on graphite and gold, *Lacaze, Garbarz, Quillet, Schott, Pham, Moslih and Lacaze* 42–44 (1992) 1037
Analysis of adenine and thymine adsorbed on graphite by scanning tunneling and atomic force microscopy, *Allen, Balooch, Subbiah, Tench, Balhorn and Siekhaus* 42–44 (1992) 1049
Ordering of didodecylbenzene on graphite: a combined SFM/STM study, *Eng, Fuchs, Buchholz and Rabe* 42–44 (1992) 1059
Scanning tunneling microscopic imaging of doped polyaniline, *Bai, Zhu, Huang, Yang, Wan and Chen* 42–44 (1992) 1079
Electrostatic spraying of DNA molecules for investigation by scanning tunneling microscopy, *Thundat, Warmack, Allison and Ferrell* 42–44 (1992) 1083
Scanning tunneling microscopy of DNA: a novel technique using radiolabeled DNA to evaluate chemically mediated attachment of DNA to surfaces, *Allison, Warmack, Bottomley, Thundat, Brown, Woychik, Schrick, Jacobson and Ferrell* 42–44 (1992) 1088
Visualization of the algal polysaccharide carrageenan by scanning tunnelling microscopy, *Lee, Atkins and Miles* 42–44 (1992) 1107
Scanning force microscopy and cryo-electron microscopy of tobacco mosaic virus as a test specimen, *Zenhausern, Adrian, Emch, Taborelli, Jobin and Descouts* 42–44 (1992) 1168
Imaging of subunit complexes of thermophilic bacterium H^+-ATPase with scanning tunneling microscopy, *Masai, Shibata, Kagawa and Kondo* 42–44 (1992) 1194
Imaging of proteins by scanning tunnelling microscopy, *Wells, Stedman and Leatherbarrow* 42–44 (1992) 1200
Molecular images of cereal proteins by STM, *Thomson, Miles, Tatham and Shewry* 42–44 (1992) 1204
AFM and STM studies of the interaction of antibodies with the S-layer sheath of the archaeobacterium *Methanospirillum hungatei*, *Mulhern, Blackford, Jericho, Southam and Beveridge* 42–44 (1992) 1214
Scanning tunneling microscopy of unbroken chloroplasts, *Dahn, Cake and Hale* 42–44 (1992) 1222
STM/STS study of photosynthetic bacterial membrane, *Golubok, Vinogradova, Tipisev, Borisov, Taisov and Kolomytkin* 42–44 (1992) 1228
Deposition and imaging of metal-coated biomolecules with the STM, *García, Yuqiu, Schabtach and Bustamante* 42–44 (1992) 1250
Reduction by ion-milling of surface corrugation of thin amorphous carbon films for biological specimen substrates in scanning tunneling microscopy, *Hillebrand, Scheybani, Wiegräbe and Guckenberger* 42–44 (1992) 1255
Scanning tunneling microscopy on molecular-beam-epitaxy-grown GaAs(001) surfaces, *Tanimoto, Osaka, Takigami, Hirono and Kanisawa* 42–44 (1992) 1275
Imaging of passivated III–V semiconductor surfaces by a scanning tunneling microscope operating in air, *Dagata, Tseng, Bennett, Schneir and Harary* 42–44 (1992) 1288
Investigating atomic-scale structures generated with the STM, *Fuchs, Schimmel, Lux-Steiner and Bucher* 42–44 (1992) 1295
Parallel fabrication on chemically etched silicon using scanning tunneling microscopy, *Zheng, Hetrick, Yau and Nayfeh* 42–44 (1992) 1303
High-resolution lithography with a vacuum STM, *Marrian and Dobisz* 42–44 (1992) 1309
Measuring the fractal dimension with STM: application to vacuum-evaporated gold, *Gómez-Rodríguez, Asenjo, Salvarezza and Baró* 42–44 (1992) 1321
Study of the surface roughness of Co-based amorphous alloys by STM, *Aguilar, Pancorbo, Vázquez, Gómez, Anguiano, Gonzáles, Vázquez and Cebollada* 42–44 (1992) 1329
Ultra-thin metal films for imaging low-conductivity surfaces by scanning tunneling microscopy, *MacRae* 42–44 (1992) 1337
Investigation of 10.6 micrometer laser-induced damage on Cu mirrors and Au-coated mirrors (Cu substrate) with STM, *Jin, Qian, Wei, Yao, Liu, Yang, Wang, Wang, Ma, Shang and He* 42–44 (1992) 1340

Scanning tunneling microscopy of surface modifications induced by UNILAC heavy-ion irradiation, *Kemmer, Grafström, Neitzert, Wörtge, Neumann, Trautmann, Vetter and Angert* 42–44 (1992) 1345
Scanning tunneling microscopy investigation of small palladium catalyst particles supported on graphite, *Porte, Phaner, Noupa, Tardy and Bertolini* 42–44 (1992) 1355
Imaging polycrystalline CVD diamond films on the micrometer and nanometer scale by STM and AFM, *Zimmermann-Edling, Busmann, Sprang and Hertel* 42–44 (1992) 1366
AFM/STM investigation of polycrystalline Si surface, *Sugawara, Fukano, Kamihara, Morita, Nakano, Ida and Kaneko* 42–44 (1992) 1372
Topography of sputtered Si(100) surfaces studied by STM in air, *Gottschalk, Fries, Becker and Wandelt* 42–44 (1992) 1376
Three-dimensional impurity profiling using chemical etching and scanning tunneling microscopy, *Tanimoto and Takigami* 42–44 (1992) 1381
STM studies of uncovered SiO_2 nanometer-particles, *Hu, Gu, Zhang, Xu, Yao, Wang, Huang, Li, Gu, Ge, Li and Wang* 42–44 (1992) 1394
STM on doped and undoped hydrogenated amorphous and microcrystalline silicon films, *Zimmermann-Edling, Wiesendanger, Finger, Prasad and Shah* 42–44 (1992) 1398
Problems of roughness measurements using STM, *Hiesgen and Meissner* 42–44 (1992) 1403
STM on cracks in brittle materials, *Müller, Vehoff and Neumann* 42–44 (1992) 1412
Scanning tunneling microscopy study of surface relief induced by the tetragonal-to-monoclinic transformation in a zirconia–yttria alloy, *Yamamoto, Fujisawa, Saburi, Hayakawa, Oka, Kurumizawa and Kusao* 42–44 (1992) 1422
Sample preparation for STM imaging of silicon at atmospheric pressure, *Bumgarner and Russell* 42–44 (1992) 1433
Four-probe resistance measurements of nickel wires written with a scanning tunneling microscope/scanning electron microscope system, *Ehrichs, Smith and De Lozanne* 42–44 (1992) 1438
Nanometer-scale fabrication on graphite surfaces by scanning tunneling microscopy, *Uesugi and Yao* 42–44 (1992) 1443
Material transfer between metallic tips and surface in the STM, *Guo and Thomson* 42–44 (1992) 1452
Method for the experimental investigation of tip profiles for scanning tunneling microscopy, *Efremov, Louskinovich and Nikishin* 42–44 (1992) 1459
Design and operation of a low-temperature scanning tunneling microscope suitable for operation below 1 K, *Davidsson, Olin, Persson and Pehrson* 42–44 (1992) 1470
Sharp, vertical-walled tips for SFM imaging of steep or soft samples, *Keller, Deputy, Alduino and Luo* 42–44 (1992) 1481
Imaging of low-load indentations into Si and GaAs by scanning tunneling microscopy, *Castell, Walls and Howie* 42–44 (1992) 1490
Preparation and characterization of tips for scanning tunneling microscopy of biological specimens, *Hacker, Hillebrand, Hartmann and Guckenberger* 42–44 (1992) 1514
Tips for scanning tunneling microscopy produced by electron-beam-induced deposition, *Hübner, Koops, Pagnia, Sotnik, Urban and Weber* 42–44 (1992) 1519
A computer-controlled technique for electrochemical STM tip fabrication, *Fainchtein and Zarriello* 42–44 (1992) 1533
Field emission current–voltage curves as a diagnostic for scanning tunneling microscope tips, *Meyer, Stranick, Wang and Weiss* 42–44 (1992) 1538
Scanning tunneling microscope coaxially arranged with an optical microscope, *Suzuki, Fujii, Onuki, Miyashita and Matsushiro* 42–44 (1992) 1553
STM combined with SEM without SEM capability limitations, *Golubok and Timofeev* 42–44 (1992) 1558
Integration of an STM in an SEM, *Troyon, Lei and Bourhettar* 42–44 (1992) 1564
A compact STM compatible with conventional SEM, *Nakamoto and Uozumi* 42–44 (1992) 1569
Thermofield tip formation in UHV/STM combined field emission microscope, *Golubok, Masalov and Tarasov* 42–44 (1992) 1574
Restoration of STM images distorted by time-dependent piezo driver after effects, *Stoll* 42–44 (1992) 1585
Charging effects observed with niobium tips on gold films, *Taylor and Welland* 42–44 (1992) 1590
AFM and STM activities at Advanced Technologies Center, *Moiseev, Panov, Savinov, Vasil'ev and Yaminsky* 42–44 (1992) 1596
Scanning tunneling microscope with large scan range, *Adamchuk, Ermakov and Fedoseenko* 42–44 (1992) 1602
Analysis of vibration-isolating systems for scanning tunneling microscopes, *Schmid and Varga* 42–44 (1992) 1610

Low-temperature ultra-high-vacuum scanning tunneling microscope, *Gaisch, Gimzewski, Reihl, Schlittler, Tschudy and Schneider* 42–44 (1992) 1621
Construction of a low-temperature STM with in situ sample cleavage, *Bando, Tokumoto, Zettl and Kajimura* 42–44 (1992) 1627
A low-temperature scanning tunneling microscope with in-situ sample cleaving, *Kent, Renner, Niedermann, Bosch and Fischer* 42–44 (1992) 1632

Specimen preparation
Electrostatic spraying of DNA molecules for investigation by scanning tunneling microscopy, *Thundat, Warmack, Allison and Ferrell* 42–44 (1992) 1083
Substrate preparation for reliable imaging of DNA molecules with the scanning force microscope, *Vesenka, Guthold, Tang, Keller, Delaine and Bustamante* 42–44 (1992) 1243

Surfaces, clusters, interfaces and particles
Edge melting of the Ge(111) surface studied by scanning tunneling microscopy, *Feenstra, Slavin, Held and Lutz* 42–44 (1992) 33
Molecules at interfaces: STM in materials and life sciences, *Rabe* 42–44 (1992) 41
Interaction forces between a tungsten tip and methylated SiO_2 surfaces studied with scanning force microscopy, *Olsson, Tengvall, Wigren and Erlandsson* 42–44 (1992) 73
Electronic structure of transition metal tips and tip–surface interactions, *Gautier, Ness and Stoeffler* 42–44 (1992) 91
First-principles calculation of STM images of the Si(111)$\sqrt{3} \times \sqrt{3}$-Ag surface, *Watanabe, Aono and Tsukada* 42–44 (1992) 105
First-principles simulation of STM/STS of Si(100) reconstructed surfaces, *Ishiki, Kageshima, Kobayashi and Tsukada* 42–44 (1992) 109
Are electronic interference effects important for STM imaging of substrates and adsorbates? A theoretical analysis, *Sautet and Joachim* 42–44 (1992) 115
Theoretical framework for the interpretation of STM images of adsorbates, *Kenkre, Biscarini and Bustamante* 42–44 (1992) 122
Investigation of the tunneling current for adsorbates on a surface, *Sacks and Noguera* 42–44 (1992) 140
Adhesive energy, force and barrier height between simple metal surfaces, *Ciraci, Tekman, Gökçedag, Batra and Baratoff* 42–44 (1992) 163
Micro-tribological evaluations of a polymer surface by atomic force microscopes, *Hamada and Kaneko* 42–44 (1992) 184
Electronic structure of small lithium–ammonia clusters, *Gründler and Thong* 42–44 (1992) 206
Potential barrier for the metal–vacuum–metal tunneling electrons, *Kiejna* 42–44 (1992) 231
Surface investigations with a Kelvin probe force microscope, *Nonnenmacher, O'Boyle and Wickramasinghe* 42–44 (1992) 268
Structure and dynamics of solid surfaces observed by atomic force microscopy, *Meyer, Howald, Overney, Brodbeck, Lüthi, Haefke, Frommer and Güntherodt* 42–44 (1992) 274
Investigation of the (001) cleavage plane of potassium bromide with an atomic force microscope at 4.2 K in ultra-high vacuum, *Giessibl and Binnig* 42–44 (1992) 281
Atomic surface and lattice structures of AgBr thin films, *Haefke, Meyer, Howald, Schwarz, Gerth and Krohn* 42–44 (1992) 290
Atomic force and scanning tunneling microscopy of comb-like cholesteric liquid crystalline polymer LB films, *Moiseev, Panov, Savinov, Yaminsky, Todua and Znamensky* 42–44 (1992) 304
Enhanced photon emission from the STM: a general property of metal surfaces, *Berndt, Gimzewski and Schlittler* 42–44 (1992) 355
High-frequency surface-displacement detection using an STM as a mixer–demodulator, *Strozewski, McBride and Wetsel, Jr.* 42–44 (1992) 388
Self-consistent study of the electromagnetic coupling between a thin probe tip and a surface: implication for atomic-force and near-field microscopy, *Bouju, Girard and Labani* 42–44 (1992) 430
A comparative STM study of the growth of thin Au films on clean and oxygen-precovered Ru(0001) surfaces, *Schröder, Günther, Hwang and Behm* 42–44 (1992) 475
In situ observation of epitaxial growth of Co thin films on Cu(100), *Schmid and Kirschner* 42–44 (1992) 483
A scanning tunneling microscopy study of the interaction of S with the Cu(111) surface, *Ruan, Stensgaard, Besenbacher and Lægsgaard* 42–44 (1992) 498
On the shape of monatomic steps of copper surface in STM images, *Thibaudau and Cousty* 42–44 (1992) 511
Step–step interactions on copper vicinal surfaces, *Rousset, Gauthier, Siboulet, Girard, De Cheveigné, Huerta-Garnica, Sacks, Belin and Klein* 42–44 (1992) 515

STM investigation of gallium single-crystal surfaces close to bulk melting, *Züger and Dürig* 42–44 (1992) 520
Tunneling characteristics at atomic resolution on close-packed metal surfaces, *Berndt, Gimzewski and Schlittler* 42–44 (1992) 528
Distance dependence and corrugation in barrier-height measurements on metal surfaces, *Schuster, Barth, Wintterlin, Behm and Ertl* 42–44 (1992) 533
Carbidic and graphitic carbon on Ni(771): aspects for catalysis, *Haase, Koch, Borbonus and Rieder* 42–44 (1992) 541
Oxygen adsorption on Ag(110) studied by the FI-STM, *Hashizume, Taniguchi, Motai, Lu, Tanaka and Sakurai* 42–44 (1992) 553
Nucleation and growth of Fe on Cu(111) in the monolayer range, *Brodde and Neddermeyer* 42–44 (1992) 556
Polymorphism of iodine adlattices on Pt(100), *Vogel and Baltruschat* 42–44 (1992) 562
Scanning tunneling microscopy of oxidized titanium surfaces in air, *Olin, Aronsson, Kasemo, Lausmaa and Rodahl* 42–44 (1992) 567
Atomic force and scanning tunneling microscopy observations of whisker crystals and surface modification on evaporated gold films, *Oden, Nagahara, Graham, Pan, Tao, Li, Thundat, DeRose and Lindsay* 42–44 (1992) 580
Temporal behaviour of nanofeatures on Au, *Hagan, Campbell, Smith, Turner and Walmsley* 42–44 (1992) 587
Scanning tunneling microscopy of nanostructured palladium, *Wang, Fuchs, Laschinski, Sander, Birringer and Gleiter* 42–44 (1992) 594
Hydroxylation and crystallization of electropolished titanium surface, *Jobin, Taborelli, Emch, Zenhausern and Descouts* 42–44 (1992) 637
Topochemistry of graphite oxidation, *Atamny, Schlögl, Wirth and Stephan* 42–44 (1992) 660
Scanning-tunneling-microscopy-enhanced oxidation of uranium deposited on the basal plane of graphite, *Tench, Balooch, Siekhaus and McLean II* 42–44 (1992) 668
Atomic-resolution images of structural defects on microcrystalline graphite, *Endo, Yamada, Sumomogi, Kuwahara, Morita and Kino* 42–44 (1992) 674
Localised structure of homoepitaxial diamond, *Maguire, Kamo, Lang and Güntherodt* 42–44 (1992) 689
The effect of sputter deposition conditions on growth mechanism and microstructure of $YBa_2Cu_3O_{7-x}$ thin films on $NdGaO_3$ substrates studied by scanning tunneling microscopy, *Hawley, Raistrick, Houlton, Garzon and Piza* 42–44 (1992) 705
Scanning tunneling microscopy of surface properties of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ high-T_c thin films prepared by different methods, *Burger, Bauer, Veith and Saemann-Ischenko* 42–44 (1992) 721
Studies of the surface structure of $YBa_2Cu_3O_7$ thin films using STM, *Maggio-Aprile, Kent, Niedermann, Renner, Antognazza, Miéville, Brunner, Triscone and Fischer* 42–44 (1992) 728
Scanning tunneling microscopy of Bi–O surfaces of Bi2212 superconductors, *Ikeda, Takamuku, Yamaguchi, Itti, Koshizuka and Tanaka* 42–44 (1992) 738
Interfacial dislocations detected by scanning tunneling microscopy, *Stalder, Sirringhaus, Onda and Von Känel* 42–44 (1992) 781
Measurement of space charge adjacent to oxide grain boundaries by tunneling spectroscopy, *Bonnell and Solomon* 42–44 (1992) 788
Real-time observation of step motion on Si(111) surface by scanning tunneling microscopy, *Tokumoto, Miki, Morita, Sato, Iwatsuki, Suzuki and Fukuda* 42–44 (1992) 816
Layer-by-layer growth of germanium on Si(100): strain-induced morphology and the influence of surfactants, *Köhler, Jusko, Müller, Horn-von Hoegen and Pook* 42–44 (1992) 832
STM studies of Si(100)-2 × 1 oxidation: defect chemistry and Si ejection, *Avouris and Cahill* 42–44 (1992) 838
Observation of indium on GaAs(110) surfaces by scanning tunneling microscopy, *Suzuki and Fukuda* 42–44 (1992) 858
Si(111)7 × 7 domain boundaries on vicinal surfaces, *Tanaka, Udagawa, Itoh, Uchiyama, Watanabe, Yokotsuka and Sumita* 42–44 (1992) 864
A STM study of the InP (110) surface, *Ebert, Cox, Poppe and Urban* 42–44 (1992) 871
Local tunneling spectroscopy of n-PbTe surface, *Davydov, Golubok and Rykov* 42–44 (1992) 878
Chemisorption and kinetics of Sb on Si(001), *Elswijk and Van Loenen* 42–44 (1992) 884
Adsorption site of alkali metal overlayers on Si(001)2 × 1, *Batra and Ciraci* 42–44 (1992) 889
STM study of geometric and electronic structures of Ge dimers on Si(001), *Iwawaki, Kato, Tomitori and Nishikawa* 42–44 (1992) 895

STM study of initial stage of Ge epitaxy on Si(001), *Iwawaki, Tomitori and Nishikawa* 42–44 (1992) 902
Homo-epitaxial growth on the Si(111)7 × 7 surface, *Ichimiya, Hashizume, Ishiyama, Motai and Sakurai* 42–44 (1992) 910
FI-STM investigation of the Si(111)2 × 1 cleaved surface, *Mera, Hashizume, Maeda and Sakurai* 42–44 (1992) 915
Scanning tunneling microscopy of 1%-HF-treated Si(111) surfaces, *Morita, Miki and Tokumoto* 42–44 (1992) 922
Scanning tunneling microscopy investigations on Pb/Si(111), *Palmino, Dumas, Mathiez, Mouttet, Salvan and Köhler* 42–44 (1992) 928
Current imaging tunneling spectroscopy of metallic deposits on silicon, *Asenjo, Gómez-Rodríguez and Baró* 42–44 (1992) 933
Observation of step formation on vicinal Si(111) surfaces by atomic force microscopy, *Suzuki, Homma, Kudoh and Kaneko* 42–44 (1992) 940
The initial stages of the oxidation of Si(100)2 × 1 studied by STM, *Udagawa, Umetani, Tanaka, Itoh, Uchiyama, Watanabe, Yokotsuka and Sumita* 42–44 (1992) 946
Ge(111)/Ga: a two-dimensional, domain-type superlattice, *Zegenhagen and Molinàs-Mata* 42–44 (1992) 952
An investigation of the early stages of native oxide growth on chemically etched and sulfur-treated GaAs(100) and InP(100) surfaces by scanning tunnelling microscopy, *Moriarty and Hughes* 42–44 (1992) 956
Molecular position at the liquid/solid interface measured by voltage-dependent imaging with the STM, *Yackoboski, Yeo, McGonical and Thomson* 42–44 (1992) 963
Surface manipulation on layered organic crystals by scanning force microscopy, *Bosbach and Rammensee* 42–44 (1992) 973
Surface modification of organic films deposited on graphite by the scanning tunneling microscope, *Bashkin, Bespalov, Emelyanov, Inkin, Portnov, Zimin, Kharkevich and Menshikov* 42–44 (1992) 977
Molecular surface structure of organic crystals observed by atomic force microscopy, *Overney, Howald, Frommer, Meyer, Brodbeck and Güntherodt* 42–44 (1992) 983
Smectic structures in a two-component liquid crystal mixture, *Sautière, Day and Miles* 42–44 (1992) 1054
Domain walls on graphite mimic DNA, *Heckl and Binnig* 42–44 (1992) 1073
Morphological difference between fibronectin sprayed on mica and on PMMA, *Emch, Zenhausern, Jobin, Taborelli and Descouts* 42–44 (1992) 1155
Molecular structures of lipid monolayers on ITO glass and on graphite imaged by an STM, *Göbel, Hörber, Gerber, Leitner and Hänsch* 42–44 (1992) 1260
Effect of Si doping on surface ordering of MBE GaAs(001), *Pashley and Haberern* 42–44 (1992) 1281
Imaging of passivated III–V semiconductor surfaces by a scanning tunneling microscope operating in air, *Dagata, Tseng, Bennett, Schneir and Harary* 42–44 (1992) 1288
Topographic study of thin gold films grown on SiO_2, *Stockman, Vloeberghs, Heyvaert, Van Haesendonck and Bruynseraede* 42–44 (1992) 1317
Study of the surface roughness of Co-based amorphous alloys by STM, *Aguilar, Pancorbo, Vázquez, Gómez, Anguiano, Gonzáles, Vázquez and Cebollada* 42–44 (1992) 1329
Ultra-thin metal films for imaging low-conductivity surfaces by scanning tunneling microscopy, *MacRae* 42–44 (1992) 1337
Scanning tunneling microscopy of surface modifications induced by UNILAC heavy-ion irradiation, *Kemmer, Grafström, Neitzert, Wörtge, Neumann, Trautmann, Vetter and Angert* 42–44 (1992) 1345
Behavior of small metal clusters on solid crystal surfaces, *Ma, Zhu, Shen and Pang* 42–44 (1992) 1350
AFM/STM investigation of polycrystalline Si surface, *Sugawara, Fukano, Kamihara, Morita, Nakano, Ida and Kaneko* 42–44 (1992) 1372
Topography of sputtered Si(100) surfaces studied by STM in air, *Gottschalk, Fries, Becker and Wandelt* 42–44 (1992) 1376
Scanning tunneling microscopy study of surface relief induced by the tetragonal-to-monoclinic transformation in a zirconia–yttria alloy, *Yamamoto, Fujisawa, Saburi, Hayakawa, Oka, Kurumizawa and Kusao* 42–44 (1992) 1422
Charging effects observed with niobium tips on gold films, *Taylor and Welland* 42–44 (1992) 1590
AFM and STM activities at Advanced Technologies Center, *Moiseev, Panov, Savinov, Vasil'ev and Yaminsky* 42–44 (1992) 1596

Theory of scanning probes

Large enhancement of transmission probability in non-equilibrium time

evolution quantum mechanics, *Casero, Serena and García* 42–44 (1992) 134
3D calculations at atomic scale of the electrostatic potential and field created by a teton tip, *Atlan, Gardet, Vu Thien Binh, García and Sáenz* 42–44 (1992) 154
Theoretical treatment of mediated electron transfer in strong electric fields, *Gründler* 42–44 (1992) 191
Model calculation for spin-polarized tunneling, *Bürgler and Tarrach* 42–44 (1992) 194
Simple model for the topographic imaging process in a scanning tunneling microscope, *Hietschold and Sbosny* 42–44 (1992) 200
Electronic structure of small lithium–ammonia clusters, *Gründler and Thong* 42–44 (1992) 206
Inelastic processes in tunnelling electrodes, *Taylor* 42–44 (1992) 215
Tunneling through a deformed potential, *Mizutani, Shigeno, Kajimura and Ono* 42–44 (1992) 236
Theory of photovoltaic effect in STM: application to graphite, *Levy Yeyati and Flores* 42–44 (1992) 242
Modelling of impurity dopant density measurement in semiconductors by scanning force microscopy, *Huang, Slinkman and Williams* 42–44 (1992) 298
Microscopic theory of light emission from the scanning tunneling microscope, *Tsukada, Schimizu and Kobayashi* 42–44 (1992) 360
Tip-dependent contrast in STM imaging of adsorbed sulfur layers: theory and experiment, *Dunphy, Ogletree, Salmeron, Sautet, Bocquet and Joachim* 42–44 (1992) 490
A theoretical comparison between interferometric and optical beam deflection technique for the measurement of cantilever displacement in AFM, *Putman, De Grooth, Van Hulst and Greve* 42–44 (1992) 1509

Abstracts / Announcements / Book reviews / Comments / Editorials / Reports
Preface 42–44 (1992) vii
Bibliography 42–44 (1992) 1671